

## A-C FORMULA 90™ RODENTICIDE

### Kills Norway Rats & Roof Rats and House Mice.

**ACTIVE INGREDIENT:**

Chlorophacinone  
CAS [3691-35-8] 0.005%

**OTHER INGREDIENTS:** 99.995%

**TOTAL:** 100.000%

EPA REG. NO. 56-58  
EPA EST. NO. 56-OH-1

**KEEP OUT OF REACH OF CHILDREN****CAUTION**

SEE BACK FOR ADDITIONAL PRECAUTIONARY STATEMENTS

**4 OZ. PLACE PACK**

Manufactured By: J.T. Eaton & Co., Inc.,  
1393 East Highland Road, Twinsburg, OH 44087

J.T. EATON™ and AC FORMULA 90™ are trademarks of  
J.T. EATON & CO., INC.

**PRECAUTIONARY STATEMENTS****HAZARD TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** May be harmful if swallowed or absorbed through the skin. Keep away from humans, domestic animals and pets. Keep away from feed or foodstuffs. Wear gloves when handling this product.

**ENVIRONMENTAL HAZARD:** This product is toxic to fish and wildlife. Do not apply this product directly to water.

**FIRST AID**

HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE  
INCLUDING 1-800-858-7378

<b>IF SWALLOWED</b>	<ul style="list-style-type: none"><li>• Call a Poison Control Center, doctor, <b>1-800-664-9042</b> or <b>1-800-858-7378</b> immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting, unless told to by a Poison Control Center or a doctor.</li></ul>
<b>IF ON SKIN OR CLOTHING</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15 to 20 minutes.</li><li>• Call a Poison Control Center, doctor, <b>1-800-664-9042</b> or <b>1-800-858-7378</b> immediately for treatment advice.</li></ul>

**NOTE TO PHYSICIAN:** This material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

Call the National Pesticide Information Center, (NPIC) for advice on pesticide medical emergencies incidents and concerns **1-800-858-7378**.

**STORAGE AND DISPOSAL**

**STORAGE:** Store this product in its original container, in a dry, cool, area out of reach of children and pets. Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

**DISPOSAL: Household Sizes 1 lb. and Less:** As a responsible environmental practice, where possible, it is recommended that all of the contents of the container be used, carefully following label directions and precautions.

**IF EMPTY:** Do not reuse this container. Place in trash or offer for recycling if available.

**IF PARTLY FILLED:** Call your local waste agency or 1-800-CLEANUP for disposal instructions.

**PESTICIDE DISPOSAL: Product Sizes Larger Than 1 lb.:** Wastes resulting from the use of this product may be disposed of on site (buried) or at an approved waste disposal facility.

**SPILL:** Collect product and use as directed, or dispose of material according to **IF PARTLY FILLED** directions above.

**EMERGENCY INFORMATION:** For emergency information on this pesticide product, including health concerns, medical emergencies or pesticide incidents, call **1-800-664-9042** or the National Pesticide Information Center (NPIC) **1-800-858-7378**.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in **tamper-resistant bait stations**. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

**USE RESTRICTIONS:** For control of Norway Rats, Roof Rats, House Mice in and around homes, industrial and agricultural buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food, water or surfaces that come in direct contact with food. Do not broadcast bait.

**SELECTION OF TREATMENT AREAS:** Determine areas where rats and mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much food as possible.

**APPLICATION DIRECTIONS:** The amount of bait in one 4 ounce place pack of this product is unlikely to be sufficient to kill more than one or two rats.

**For Rats:** Apply 1 to 4 place packs (4 to 16 oz. of bait) per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

**For Mice:** Open pack, while wearing gloves, and apply 1/4 to 1/2 oz. of bait at 8- to 12-foot intervals. Larger placements (up to 2 oz.) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

**For Rats and Mice:** Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and any leftover bait properly. To prevent reinfestation, limit as many sources of food, water, and harborages as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish with fresh bait as often as needed.

**NOTICE:** Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. The efficacy of the product may be reduced under high moisture conditions.