



# FIRE ANT KILLER

Insecticida para Matar  
Hormigas Rojas

## KILLS ON CONTACT

- Use indoors and outdoors
- Provides quick killing action
- Up to 4 weeks residual
- No oily residue
- No unpleasant odor

### ACTIVE INGREDIENTS:

* Tetramethrin .....	0.10%
** Permethrin .....	0.25%
*** Piperonyl butoxide, technical .....	0.50%
<b>OTHER INGREDIENTS:</b> .....	99.15%
<b>Total</b> .....	<b>100.00%</b>

\* 1-cyclohexene-1,2-dicarboximidomethyl 2,2-dimethyl-3-(2-methyl-propenyl) cyclopropanecarboxylate.

\*\* (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate.

Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.  
\*\*\* Equivalent to min. 0.4% (butylcarbitol)(6-propylpiperonyl) ether and 0.1% related compounds.

EPA Reg. No. 498-187 EPA Est. No. 498-IL-1



NET WT/PESO NETO 15 oz (425 g)

KEEP OUT OF REACH OF CHILDREN/MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

**CAUTION/PRECAUCIÓN**

See back panel for additional precautionary statements.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

#### FIRST AID

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by disposal of wastes.

#### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. **DO NOT PUNCTURE OR INCINERATE CONTAINER.** Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in food/feed areas of food-/feed-handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food/feed is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where food may be prepared or held.

In the home, all food-processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

May be used as a crack and crevice treatment or as a spot application in nonfood/feed areas. All areas where insects hide or through which insects may enter should be treated.

For use in nonfood/feed areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Not for use in Federally Inspected Meat and Poultry Plants.

Do not apply this product in occupied patient rooms or in any rooms/areas while occupied by patients, the elderly or infirm. Do not apply in classrooms when in use.

**GENERAL INFORMATION:** Provides effective control of pests in and on buildings and structures and their immediate surroundings and on modes of transport. Permitted areas of use include, but are not limited to, apartment buildings, homes, hotels, hospitals, nursing homes, schools, industrial buildings, laboratories, mausoleums, private residences, utilities and the nonfood/feed areas of food-/feed-handling establishments, and on vessels, railcars, aircraft (cargo area only), buses, trucks and trailers.

**SURFACE SPRAY APPLICATION:** Hold container upright and direct spray away from face. Hold can 12-15 inches from surface being sprayed. Press valve down and spray as directed. Spray surface until slightly wet (at a rate of 4 ounces of product to treat approximately 25 square feet of surface area).



**Chase**  
PRODUCTS CO.

Putting the best at your fingertips.®

P.O. Box 70 • Maywood, IL 60153  
www.chaseproducts.com

1-9776 DSC

**FIRE ANTS:** TO TREAT MOUNDS, USE A SOIL INJECTOR. To maximize spray distribution, insert injector into the mound, full length if possible. Inject the mound at 3-6 sites at a rate of 5-10 seconds spray per site. For very large mounds (over 36 inches in diameter), increase the number of injection sites. Space injection sites in a circular pattern on the mound surface with one site in the center. To quiet active ants on mound surface, sweep surface with spray from a distance of 18 inches. For best results, apply in cool weather or in early morning or late evening hours. Treat new mounds as they appear.

#### INDOORS

**ANTS:** Spray freely around ant trails, doors and windows and other places where ants enter premises. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat as necessary.

**CARPENTER ANTS:** For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Inject into wall voids and infested wood through existing openings or newly drilled small holes.

**PANTRY PESTS: GRAIN BEETLES (RUSTY, MERCHANT AND SAW-TOOTHED), FLOUR BEETLES (RED AND CONFUSED), CHOCOLATE MOTHS, CIGARETTE BEETLES, CLOVER MITES, CLUSTER FLIES, DRUGSTORE BEETLES, ELM LEAF BEETLES, RICE WEEVILS, LESSER GRAIN BORERS, SPIDER BEETLES AND TOBACCO MOTHS:** Treat exposed stages. Remove all foodstuffs, utensils, and shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry prior to replacement of shelf paper, food and utensils.

**OUTDOORS:** Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Spray with wind if breeze is blowing.

**PESTS ON OUTSIDE SURFACES OF BUILDINGS:** For control of building infestation due to **ANTS, CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDES AND SOW BUGS (PILL BUGS):** Spray foundation of building where insects are active and may find entrance, up to a height of 2 to 3 feet. Apply as residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary.

#### STORAGE & DISPOSAL

**STORAGE:** Store in a cool, dry place away from heat or open flame. Do not contaminate water, food or feed by the use, storage or disposal of this product.

**DISPOSAL:** DO NOT PUNCTURE OR INCINERATE!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions.

#### KEEP OUT OF REACH OF CHILDREN MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

THE USER OF THIS PRODUCT ASSUMES ALL RISKS OF USE, STORAGE AND HANDLING NOT IN ACCORDANCE WITH ITS DIRECTIONS AND CAUTIONS.

¡AVISO IMPORTANTE! Si usted no sabe como usar este producto, pida ayuda de su supervisor.

MEDICAL EMERGENCY INFORMATION ONLY/PARA INFORMACIÓN MEDICA DE EMERGENCIA: ChemTel, Inc. (800) 255-3924



FEDERAL REGULATIONS  
PROHIBIT CFC PROPPELLANTS  
IN AEROSOLS



0 10228 35104 4