

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is intended for use around any property or facility that functions to provide a service to the general public or to public or private organizations, including hospitals, nursing homes; schools (other than preschools and day care facilities); museums and libraries; sports facilities; and office buildings. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes. For use on plants in non-crop and nonlumber areas only. Not for use on crops, timber, or other plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. Not to be used in any recreational areas or in or around homes.

IMPORTANT: Injury or loss of desirable trees or other plants may result from failure to observe the following: Do not apply on or near desirable trees or other plants, or on areas where their roots may extend or in locations where the chemical may be washed or moved into contact with their roots. Do not use on lawns, walks, driveways, tennis courts or similar areas. Prevent drifts of spray to desirable plants. Do not contaminate domestic waters. Keep from contact with fertilizers, insecticides, fungicides and seeds.

This weed killer is designed to be applied as a spray on non-cropland areas where bare ground is desired. The degree of weed control and duration of effect will vary with the amount of product used, soil type, rainfall and other conditions. Apply any time of year except when the ground is frozen. Best results are obtained after predominant species are well established in late spring or early summer.

Remove protective cap. Invert can and point opening in spray tip towards weeds to be sprayed. Depress the tab on the side of tip and spray weeds thoroughly.

General Weed Control: To control most weeds for an extended period of time on non-cropland areas, including parking lots, fence rows, loading ramps, railroad sidings, storage yards, around buildings and industrial plant sites, apply at the maximum rate of 1 can per 174 sq. ft. per application. Limited to 2 applications per year. Minimum of 30 days between applications.

Controls annual weeds and grasses such as foxtail, ryegrass, wild oats, crabgrass, chestgrass, broomsedge, ragweed, lambsquarters and turkey mullain, and other hard-to-kill perennial weeds and grasses, such as Johnsongrass, sprang, bouncing bet, broken fern and horsetail.

Spray Drift Management: A variety of factors including weather conditions (e.g., wind directions, wind speed, temperature, relative humidity) and method of application can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

Wind Speeds: Do not apply at wind speeds greater than 15 mph. Only apply this product if the wind direction favors on-target deposition and there are not sensitive areas (including, but not limited to, residential areas, bodies of water, known habitat for nontarget species, nontarget crops) within 250 feet downwind.

Temperature Inversions: If applying at wind speeds less than 3 mph, the applicator must determine if: a) conditions of temperature inversion exist, or b) stable atmospheric conditions exist at or below nozzle height. Do not make applications into area of temperature inversions or stable atmospheric conditions.

Susceptible Plants: Do not apply under circumstances where spray drift may occur to food, forage, or other plantings that might be damaged or crops thereof rendered unfit for sale, use or consumption. Susceptible crops include, but are not limited to, cotton, okra, flowers, grapes (in growing stage), fruit trees (foliage), soybeans (vegetative stage), ornamentals, sunflowers, tomatoes, beans, and other vegetables, or tobacco. Small amounts of spray drift that might not be visible may injure susceptible broadleaf plants.

Other State and Local Requirements: Applicators must follow all state and local pesticide drift requirements regarding application of 2,4-D herbicides. Where states have more stringent regulations, they must be observed.

2,4-D esters may volatilize during conditions of low humidity and high temperatures. Do not apply during conditions of low humidity and high temperatures.

Notice of Warranty: To the extent consistent with applicable law the manufacturer makes no warranties, expressed or implied, concerning the use of this product other than those indicated on the label. Purchaser assumes all risks of use and handling of this material when such use and handling are contrary to label instructions.

AERO



Knock-Out™ NON-SELECTIVE WEED KILLER CONTROLS WEEDS AND GRASSES THROUGH FOLIAGE AND ROOT CONTACT

ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic acid 2-ethylhexylester*	1.09%
Bromacil (5-bromo-3-sec-butyl-6-methyluracil)	0.98%
INERT INGREDIENTS	97.93%
TOTAL	100.00%

*2,4-Dichlorophenoxyacetic acid equivalent 0.70% (0.051 lbs per gallon).

**KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

FIRST AID:

If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN- Contains petroleum distillate - vomiting may cause aspiration pneumonia.

EPA Reg. No. 3862-92-13103

EPA Est. No. 9143-TX-1

DISTRIBUTED BY:
AERO Chemical Co.
PO Box 16247 • Atlanta, GA 30321
Net Weight: 15 oz. (425g)

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if absorbed through skin. Harmful if inhaled. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. Causes skin irritation. Do not enter or allow people (or pets) to enter the treated area until sprays have dried. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are barrier laminate, nitrile rubber, neoprene rubber or viton. If you want more options, follow the instructions for category E on an EPA chemical-resistance category selection chart.

All applicators and other handlers must wear:

- long-sleeved shirt and long pants,
- shoes and socks, plus
- chemical resistant gloves, and
- chemical resistant apron when cleaning up spills.

User Safety Recommendations:

- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.
- Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Heavily contaminated or drenched clothing cannot be adequately decontaminated, and must be disposed of according to State and Local regulations.

ENVIRONMENTAL HAZARDS:

This pesticide may be toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT. OPEN DUMPING PROHIBITED.

Pesticide Storage: Do not store near heat or open flame. Store in cool dry area away from children.

Pesticide Disposal: Do Not Puncture or Incinerate! Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available.



4469205A.022015

446920177.022015