

ForceField® MoldBlaster™ 64

This product may be used on washable hard surfaces such as: countertops, stovetops, sinks and exterior surfaces of appliances, refrigerators, ice machines, frame lumber, wood, drywall, tackless strip, sub floors, paneling, trim, picnic tables and outdoor furniture, shower stalls, shower doors and curtains, bathtubs and glazed tiles, chrome plated intakes, toilets, toilet bowl surfaces, urinals, empty diaper pails, portable and chemical toilets and latrine buckets, porcelain tile and restroom fixtures, exhaust fans, refrigerated storage and display equipment, coils and drain pans of air conditioning and refrigeration equipment and heat pumps.

DIRECTIONS FOR USE

If in violation of Federal law to use this product in a manner inconsistent with its labeling.

General Deodorization: To deodorize, add 2 ounces of this product per gallon of water (or equivalent use dilution) (850 ppm active quat). Excess material should be wiped up or allowed to air dry. For odors caused by dogs, cats and other domestic animals: Use on rugs, floors, walls, tile, cages, crates, litter boxes, mats, floor coverings, or any surface soiled by a pet. Test a small inconspicuous area first. Blot problem area. Then follow directions for "General Deodorization."

Disinfection/Fungicidal/Virucidal Directions: Add 2 ounces per gallon (16 milliliters per liter) of water to disinfect hard, non-porous surfaces. Treated surfaces must remain wet for 10 minutes. Prepare a fresh solution at least daily or when use dilution becomes diluted or soiled. Apply solution to hard inanimate, non-porous surfaces thoroughly wetting surfaces as recommended and required, with a cloth, mop, sponge or sprayer. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications use a coarse spray device. Spray 6-8 inches from surface, rub with brush, sponge or cloth. Do not breathe spray mist. Before using this product, food products and packaging materials must be removed from the room or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water.

Mold and Mildew Control Directions: Add 2 ounces per gallon (16 milliliters per liter) of water to control the growth of mold and mildew and their odors on hard, non-porous surfaces. Thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears. To control the growth of mold and mildew on large inflexible nonporous plastic and rubber structures: (animals, promotional items, moonwalk, slides, obstacle course play and exercise equipment). Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use solution of 2 ounces per gallon (850 ppm active quat) of water (or equivalent dilution) for a period of 10 minutes. Ventilate buildings and other closed spaces. Do use equipment until treatment has been absorbed, set, or dried.

Water Damage Restoration: Effective against odor-causing bacteria and fungi for home, institutional, industrial, and hospital use. This product is particularly suitable for use in water damage restoration situations against odor-causing bacteria on the following porous and semi-porous materials: carpets, carpet cushion, subfloors, drywall, trim, and frame lumber, tackless strip and paneling. Using solutions recommended, saturate affected materials with enough product to remain wet for at least 10 minutes. Use proper ventilation.

Smoke Damage Restoration: Effective against odor-causing bacteria and fungi for home, institutional, industrial, and hospital use. This product is particularly suitable for use in smoke damage restoration situations against odor-causing bacteria on the following porous and semi-porous materials: carpets, carpet cushion, subfloors, drywall, trim, and frame lumber, tackless strip and paneling. Follow directions as outlined in the Water Damage Restoration section. Using solutions recommended, saturate affected materials with enough product to remain wet for at least 10 minutes. Use proper ventilation.

Sewer Backup and River Flooding: During mitigation procedures, dilute 2 to 4 ounces of this product per gallon of water allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil along with non-soluble materials. Saturate all affected areas with a sprayer using a coarse spray tip, before and after cleaning and extraction. **Carpets, carpet cushions, and other porous materials such as subfloors, drywall, trim and frame lumber, tackless strip and paneling:** For water damage from a clean water source, extract excess water. Test hidden area for color-fastness. Dilute 2 to 4 ounces of the product per gallon of water (847-1625 ppm active quat), allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil. Apply directly with a sprayer using a coarse spray tip. To fully saturate affected materials: Roll, brush or agitate into materials and allow the materials to remain damp for 10 minutes. Follow with a thorough extraction. Dry rapidly and thoroughly.

Special Instructions for Cleaning Carpet Containing Odor-Causing Bacteria: This product may be used in homes, industrial, and institutional areas such as motels and hotel chains, nursing homes, schools, and hospitals. For use on wet cleanable synthetic fibers. **Do not use on wool.** Vacuum carpet thoroughly prior to cleaning. Test fabric for color-fastness.

For Portable Extraction Units: Mix 1 ounce of this product per gallon of water. **For truck-mounted extraction machines:** Mix 24 ounces of the product per gallon of water and meter at 4 gallons per hour. **For rotary floor machines:** Mix 2 ounces of this product per gallon of water and apply at the rate of 300-500 sq. ft. per gallon. **Do not mix this product with other cleaning products.** Follow the cleaning procedures specified by the manufacturer of the cleaning equipment. After using this product, set the carpet pile and protect the carpet from furniture legs and bases while drying. Do not overwet. If applied to stain-resistant nylon carpet, apply a fabric protector according to the carpet manufacturer's directions.

NOTE: Do NOT mix with other cleaning products.

CONCENTRATE

Makes up to 64 gallons

Professional Strength

ForceField® MoldBlaster™ 64

Disinfectant, Cleaner, Mildewstat, Fungicide, Sanitizer and Deodorizer

Basement • Patio & Deck • Siding & Gutters • Pool & Sauna • Boat & RV
Bath & Shower • Upholstery • Concrete & Tile • Wood & Stucco

KEEP OUT OF THE REACH OF CHILDREN - DANGER
See left panel for additional precautionary statements

E.P.A. Reg. No. 10324-120-72251
Net 1 Gallon (3.80 Liters)

E.P.A. Est. No. 73725-Ga-1
Made in U.S.A.

ForceField® MoldBlaster™ 64

Active Ingredients: Alkyl (C₁₄ 60%, C₁₆ 30%, C₁₂ 5%, C₁₈ 5%)2.7125%
dimethyl benzyl ammonium chloride.....2.7125%
Alkyl (C₁₄ 68%, C₁₄ 32%) dimethyl ethylbenzyl ammonium chloride.....94.5750%
Other Ingredients:.....100.0000%
TOTAL INGREDIENTS:.....100.0000%

FIRST AID

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing. Call poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER, Keep Out of Reach of Children. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get into eyes, on skin, or on clothing. Wear goggles or face shield, rubber gloves, and protective clothing when handling.

Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix with oxidizers, anionic soaps or detergents.

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to small children. Do not store on side. Avoid creasing or impacting of side walls. Do not reuse empty container. Wrap and discard in trash (or recycle).

This product is a no-rinse neutral pH disinfectant cleaner that disinfects, cleans, and deodorizes in one labor-saving step. This product cleans, shines, deodorizes, and disinfects all hard non-porous surfaces listed on the label.

This product inhibits bacterial growth on moist surfaces and deodorizes by killing microorganisms that cause offensive odors. This product is specially formulated to effectively eliminate offensive odors caused by mold and mildew. This product neutralizes musty odors and tough odors from smoke, pet and domestic animal cages and crates, accidents, and spills on contact.

It inhibits the growth of mold and mildew, leaving bathrooms and kitchens clean and fresh smelling. Safe for most surfaces. Cleans without bleaching. Removes stains. Removes dirt. Non-staining. Clear formula.

This product provides long-lasting freshness against tough (pet) odors such as odors from litter boxes and pet accidents. Eliminates odors caused by bacteria (mold, mildew, and non-fresh foods). Kills odor-causing bacteria in the kitchen and bathroom.

Kills germs while it cleans.

Use ForceField® MoldBlaster™ 64 in: Life care retirement communities, day care centers and nurseries, sick rooms, acute care institutions, alternate care institutions, home healthcare institutions, churches, classrooms, community colleges, universities, athletic facilities and locker rooms, exercise rooms, gyms, camgrounds, playgrounds, recreational facilities, picnic facilities, sports arenas, sports complexes, household and automotive garages, boats, ships, barges, campers, trailers, mobile homes, cars, trucks, buses, trains, taxis, airplanes, public restrooms, travel rest areas, shower rooms, shower stalls, bathrooms, hotels, motels, dormitories, basements, cellars, bedrooms, attics, living rooms, and porches.

Manufactured By:
Shield Industries, Inc.
131 Smokehill Lane
Woodstock, GA 30188
Questions: 800-332-6327



CONCENTRATE
Makes up to 64 gallons

***Professional
Strength***

ForceField[®]
MoldBlaster[™] 64

**Disinfectant, Cleaner, Mildewstat,
Fungicide, Sanitizer and Deodorizer**

**Basement • Patio & Deck • Siding & Gutters • Pool & Sauna • Boat & RV
Bath & Shower • Upholstery • Concrete & Tile • Wood & Stucco**

KEEP OUT OF THE REACH OF CHILDREN - DANGER

See left panel for additional precautionary statements

E.P.A. Reg. No. 10324-120-72251
Net 1 Gallon (3.80 Liters)

E.P.A. Est. No. 73725-Ga-1
Made in U.S.A.

ForceField® MoldBlaster™ 64

This product may be used on washable hard surfaces such as: countertops, stovetops, sinks and exterior surfaces of appliances, refrigerators, ice machines, frame lumber, wood, drywall, tackless strip, sub floors, paneling, trim, picnic tables and outdoor furniture, shower stalls, shower doors and curtains, bathtubs and glazed tiles, chrome plated intakes, toilets, toilet bowl surfaces, urinals, empty diaper pails, portable and chemical toilets and latrine buckets, porcelain tile and restroom fixtures, exhaust fans, refrigerated storage and display equipment, coils and drain pans of air conditioning and refrigeration equipment and heat pumps.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Deodorization: To deodorize, add 2 ounces of this product per gallon of water (or equivalent use dilution) (850 ppm active quat). Excess material should be wiped up or allowed to air dry. For odors caused by dogs, cats and other domestic animals: Use on rugs, floors, walls, tile, cages, crates, litter boxes, mats, floor coverings, or any surface soiled by a pet. Test a small inconspicuous area first. Blot problem area. Then follow directions for "General Deodorization."

Disinfection/Fungicidal/Virucidal Directions: Add 2 ounces per gallon (16 milliliters per liter) of water to disinfect hard, non-porous surfaces. Treated surfaces must remain wet for 10 minutes. Prepare a fresh solution at least daily or when use dilution becomes diluted or soiled. Apply solution to hard inanimate, non-porous surfaces thoroughly wetting surfaces as recommended and required, with a cloth, mop, sponge or sprayer. For heavily soiled areas, a preliminary cleaning is required. For sprayer applications use a coarse spray device. Spray 6-8 inches from surface, rub with brush, sponge or cloth. Do not breathe spray mist. Before using this product, food products and packaging materials must be removed from the room or carefully protected. After use, all surfaces in the area must be thoroughly rinsed with potable water.

Mold and Mildew Control Directions: Add 2 ounces per gallon (16 milliliters per liter) of water to control the growth of mold and mildew and their odors on hard, non-porous surfaces. Thoroughly wet all treated surfaces completely. Let air dry. Repeat application weekly or when growth or odor reappears. To control the growth of mold and mildew on large inflatable nonporous plastic and rubber structures: (animals, promotional items, moonwalk, slides, obstacle course play and exercise equipment). Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use solution of 2 ounces per gallon (850 ppm active quat) of water (or equivalent dilution) for a period of 10 minutes. Ventilate buildings and other closed spaces. Do use equipment until treatment has been absorbed, set, or dried.

Water Damage Restoration: Effective against odor-causing bacteria and fungi for home, institutional, industrial, and hospital use. This product is particularly suitable for use in water damage restoration situations against odor-causing bacteria on the following porous and semi-porous materials: carpets, carpet cushion, subfloors, drywall, trim, and frame lumber, tackless strip and paneling. Using solutions recommended, saturate affected materials with enough product to remain wet for at least 10 minutes. Use proper ventilation.

Smoke Damage Restoration: Effective against odor-causing bacteria and fungi for home, institutional, industrial, and hospital use. This product is particularly suitable for use in smoke damage restoration situations against odor causing bacteria on the following porous and semi-porous materials: carpets, carpet cushion, subfloors, drywall, trim, and frame lumber, tackless strip and paneling. Follow directions as outlined in the Water Damage Restoration section. Using solutions recommended, saturate affected materials with enough product to remain wet for at least 10 minutes. Use proper ventilation.

Sewer Backup and River Flooding: During mitigation procedures, dilute 2 to 4 ounces of this product per gallon of water allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil along with non-salvageable materials. Saturate all affected areas with a sprayer using a coarse spray tip, before and after cleaning and extraction. **Carpets, carpet cushions, and other porous materials such as subfloors, drywall, trim and frame lumber, tackless strip and paneling:** For water damage from a clean water source, extract excess water. Test hidden area for color-fastness. Dilute 2 to 4 ounces of the product per gallon of water (847-1625 ppm active quat), allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil. Apply directly with a sprayer using a coarse spray tip, to fully saturate affected materials. Roll, brush or agitate into materials and allow the materials to remain damp for 10 minutes. Follow with a through extraction. Dry rapidly and thoroughly.

Special Instructions for Cleaning Carpet Containing Odor-Causing Bacteria: This product may be used in homes, industrial, and institutional areas such as motels and hotel chains, nursing homes, schools, and hospitals. For use on wet cleanable synthetic fibers. **Do not use on wool.** Vacuum carpet thoroughly prior to cleaning. Test fabric for color-fastness.

For Portable Extraction Units: Mix 1 ounce of this product per gallon of water. **For truck-mounted extraction machines:** Mix 24 ounces of the product per gallon of water and meter at 4 gallons per hour. **For rotary floor machines:** Mix 2 ounces of this product per gallon of water and apply at the rate of 300-500 sq. ft. per gallon. **Do not mix this product with other cleaning products.** Follow the cleaning procedures specified by the manufacturer of the cleaning equipment. After using this product, set the carpet pile and protect the carpet from furniture legs and bases while drying. Do not overwet. If applied to stain-resistant nylon carpet, apply a fabric protector according to the carpet manufacturer's directions.

NOTE: Do NOT mix with other cleaning products.

ForceField® MoldBlaster™ 64

Active Ingredients: Alkyl (C ₁₄ 60%, C ₁₆ 30%, C ₁₂ 5%, C ₁₈ 5%)	
dimethyl benzyl ammonium chloride.....	2.7125%
Alkyl (C ₁₂ 68%, C ₁₄ 32%) dimethyl ethylbenzyl ammonium chloride.....	2.7125%
Other Ingredients:	94.5750%
TOTAL INGREDIENTS:	100.0000%

FIRST AID

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing. Call poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER, Keep Out of Reach of Children. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get into eyes, on skin, or on clothing. Wear goggles or face shield, rubber gloves, and protective clothing when handling.

Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Remove contaminated clothing and wash clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS

Do not mix with oxidizers, anionic soaps or detergents.

STORAGE AND DISPOSAL

Store in original container in areas inaccessible to small children. Do not store on side. Avoid creasing or impacting of side walls. Do not reuse empty container. Wrap and discard in trash (or recycle).

This product is a no-rinse neutral pH disinfectant cleaner that disinfects, cleans, and deodorizes in one labor-saving step. This product cleans, shines, deodorizes, and disinfects all hard non-porous surfaces listed on the label.

This product inhibits bacterial growth on moist surfaces and deodorizes by killing microorganisms that cause offensive odors. This product is specially formulated to effectively eliminate offensive odors caused by mold and mildew. This product neutralizes musty odors and tough odors from smoke, pet and domestic animal cages and crates, accidents, and spills on contact.

It inhibits the growth of mold and mildew, leaving bathrooms and kitchens clean and fresh smelling. Safe for most surfaces.

Cleans without bleaching. Removes stains. Removes dirt. Non-staining. Clear formula.

This product provides long-lasting freshness against tough (pet) odors such as odors from litter boxes and pet accidents. Eliminates odors caused by bacteria (mold, mildew, and non-fresh foods). Kills odor-causing bacteria in the kitchen and bathroom.

Kills germs while it cleans.

Use ForceField® MoldBlaster™ 64 in: Life care retirement communities, day care centers and nurseries, sick rooms, acute care institutions, alternate care institutions, home healthcare institutions, churches, classrooms, community colleges, universities, athletic facilities and locker rooms, exercise rooms, gyms, campgrounds, playgrounds, recreational facilities, picnic facilities, sports arenas, sports complexes, Household and automotive garages, boats, ships, barges, campers, trailers, mobile homes, cars, trucks, buses, trains, taxis, airplanes, public restrooms, travel rest areas, shower rooms, shower stalls, bathrooms, hotels, motels, dormitories, Basements, cellars, bedrooms, attics, living rooms, and porches.

Manufactured By:

Shield Industries, Inc.

131 Smokehill Lane

Woodstock, GA 30188

Questions: 800-332-6327



6 09052 19128 7