

# PiGNX® Caulking Gel

## Pigeon Repellent-Avian Non-Toxicant

PIGEON REPELLENT

Deters pigeons from congregating, roosting and returning. PiGNX® is a repellent and deterrent. For use indoors or outdoors.

ACTIVE INGREDIENT:  
CAPSAICIN ..... 0.0357%  
OTHER INGREDIENTS ..... 99.9643%  
TOTAL ..... 100%

**KEEP OUT OF  
REACH OF CHILDREN  
CAUTION** ⚠

EPA Registration Number: 84418-1  
EPA Establishment Number: 085002-CA-001  
Net Contents: 10 oz



When PiGNX® Caulking Gel is applied according to application specification, pigeons will not return to treated area for 30 days or longer if gel is left intact and undisturbed. Reapplications will be required on an as-needed basis in areas of high pigeon pressure where the product gel has been disturbed or removed due to foot contact by pigeons.

USE AS DIRECTED.

PLEASE READ ENTIRE LABEL PRIOR TO USE.

Apply one 10 oz. tube of PiGNX® Caulking Gel for every ten (10) linear feet using a ½ inch bead. Do not apply more than one 10 oz. tube per application (0.00357 oz active ingredient/10 linear feet). Apply PiGNX® where pigeons most heavily roost, gather and reproduce. PiGNX® can be applied to indoor and outdoor surfaces, which include wood, metal, plastic, tile, brick, cinderblock and cement. Typical commercial application areas include but are not limited to buildings (such as rooftops, canopies, windowsills, ledges, beams, conduits, water lines, awnings, parapets, fascias, sub roofs and walls, and cooling units) and other structures (such as statues, bridges, signs, sheds and overhangs).

Apply PiGNX® at 20°F to 90°F (-7°C to 32°C). Do not apply in wet or snowy weather for best results. Installation works

Precautionary Statements

### HAZARDS TO HUMANS and DOMESTIC ANIMALS / CAUTION

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. For MSDS, contact 1-949-310-6550.

### FIRST AID

#### If Swallowed

- Call a poison center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to by a poison control center or doctor.

#### If On Skin

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

#### If In Eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call poison control center or doctor for treatment advice.

[pignx.com](http://pignx.com)

net wt 10oz (283 g)

### HOTLINE

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.  
In case of emergency, call 1-949-310-6550 US - PST 6am to

### Environmental Hazards:

For Terrestrial Uses. This product may be toxic to aquatic organisms. Do not apply to or allow runoff to reach lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of equipment washwater or rinsate. Do not dump rinse water into sewers or other bodies of water.

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in any manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS: Use one 10 oz tube for every ten (10) linear feet. Lay down a continuous bead of PiGNX® Caulking Gel in a zigzag pattern using at least a ½ inch bead that will allow the pigeons to easily and frequently step on the gel (larger bead up to 1 inch is acceptable depending on treatment surface characteristics). Use as necessary to treat roosting areas to ensure complete bird dislocation is maintained. Clean and dry surfaces before application for best results. If surface cannot be cleaned before application, PiGNX® can be applied on top of soiled and damp surfaces if necessary. For best results, clean and wipe dirt from application surfaces prior to application. Do not expose yourself directly to bird feces.

- 1 Cut end tube off at the nozzle stem.
- 2 Screw on applicator nozzle and use directly or cut off nozzle tip for a larger bead halfway down the application nozzle.
- 3 Load and lock PiGNX® tube into standard caulking gun.
- 4 Slowly pull caulking gun trigger. There is very little product resistance - be careful as it can come out of tube.
- 5 Lay down continuous bead of PiGNX® Caulking Gel in a zigzag pattern so birds will step in gel.
- 6 Go to PiGNX.com for more information and video.

Apply to surface areas where pigeons frequent. To ensure thorough coverage, treat areas that pigeons use to roost on, such as those listed on the label.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage** Do not store this product above 100° F or below 20° F for extended periods of time. Keep container tightly closed and in original containers when not in use.

**Pesticide Disposal** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If not available, dispose of in a sanitary landfill, or incineration, or, if allowed by State and local

### WARRANTY

PiGNX® Company guarantees complete satisfaction when used as directed and application installation is not disturbed or your money back or PiGNX® will provide equivalent amount of product at no cost to the user up to the total cost of the purchase price less shipping/handling/labor and equipment charges.

Customer Service/Questions: 1-949-310-6550


Manufacturer:  
PiGNX® Company  
POB 6310  
Whittier, CA 90609

1-949-310-6550  
Patent Pending  
Made in USA - California

SKU# A2007



Approved for food preparation areas.



PiGNX® is a registered trademark of PiGNX® Company