

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Do not store below 32°F or above 100°F. Store in a dry place away from heat or open flame. Avoid contamination of feed or foodstuffs.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility. Improper disposal of excess pesticide, spray mix, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of according to label instructions, contact the State agency responsible for Pesticide Regulation or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Do not get into eyes or on clothing. Harmful if swallowed.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately wash eyes with running water for 15 minutes. If irritation develops, consult a physician.

IF ON SKIN: Wash affected areas with soap and water. If irritation develops, consult a physician.

IF SWALLOWED: Do not induce vomiting. Dilute with water and get immediate medical attention. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

IF INHALED: Move to fresh air. Aid in breathing, if necessary and get immediate medical attention.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemically resistant to this product are listed on page one. If you want more options, follow the instructions for category G on an EPA chemical resistance category selection chart.

Hi-Yield®

GRASS KILLER Postemergence Grass Herbicide

- Systemic Selective Herbicide Kills Weedy Grasses Without Injuring Desirable Plants.
- Controls: Bermudagrass, Crabgrass, Foxtails, Quackgrass And Other Weedy Grasses.
- Concentrate Makes 8 Gallons Of Spray Solution.

For use on and around Ornamental Groundcovers and Vegetables*

*See Crop Table List.

ACTIVE INGREDIENT:

Sethoxydim: 2-[1-(ethoxymino)butyl]-
5-[2-(ethylthio)-propyl]-3-hydroxy-2-
cyclohexen-1-one**..... 18.0%

INERT INGREDIENTS: 82.0%

TOTAL: 100.0%

**Equivalent to 1.5 lbs per gallon

KEEP OUT OF REACH OF CHILDREN.

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.) See The Attached Booklet For Complete Precautionary Statements, Statement Of Practical Treatment, Directions For Use And Conditions Of Sale And Warranty.

NET CONTENTS 8 FL. Ozs.

Distributed By:
VOLUNTARY PURCHASING GROUP, INC.
P. O. BOX 460
BONHAM, TEXAS 75418
Visit Us At: www.v-p-g.com
EPA Reg. No. 7969-58-7401
EPA Est. No. 7401-TX-1

NVA 97/5 25-0077



FOR HOMEOWNER USE ON AND AROUND

Flowers	Trees	Ornamentals
Evergreens	Fruits*	Groundcovers
Shrubs	Vegetables*	Bedding Plants

See Crop Table For Specific Crops

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for Pesticide Regulation.

READ ENTIRE LABEL FOR DIRECTIONS FOR USE AND PRECAUTIONARY STATEMENTS.

HI-YIELD® GRASS KILLER HERBICIDE is a Selective Systemic Grass Killer to eliminate existing Weedy Grass growing in and around Plant Beds, Landscapes and individual Shrubs and Trees. (See Appendix for listing.) It can be used through a tank-type sprayer.

HI-YIELD® GRASS KILLER HERBICIDE can also be used around listed Fruit and Vegetable areas, (See Table 2), wherever listed Weedy Grasses occur. Use only tank-type sprayers.

Applicators and other handlers must wear:

- Coveralls over short-sleeved shirt and short pants.
- Chemical-resistant gloves, such as barrier laminated, or viton ≥ 14 mils.
- Chemical-resistant footwear plus socks.
- Protective eyewear.
- Chemical-resistant apron when cleaning equipment, mixing, and loading.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not re-use them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

ENDANGERED SPECIES CONCERNS

The use of any Pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of Federal Law.

WEEDY GRASSES CONTROLLED

HI-YIELD® GRASS KILLER HERBICIDE kills most Annual and hard-to-kill Perennial Grasses up to 1 foot high including the examples listed below in one (or two) application(s). Younger, actively growing Seedling Weeds are more easily killed than older, mature, well-established Grassy Weeds which may require a repeat application for control. Adding Oil Concentrate may help control of Grassy Weeds*.

WEEDS LISTED ON THIS LABEL

Common Name	Scientific Name
Barnyard Grass (Watergrass)	<i>Echinochloa crus-galli</i>
Bermudagrass (Wiregrass)	<i>Cynodon dactylon</i>
Crabgrass, Large	<i>Digitaria sanguinalis</i>
, Smooth	<i>Digitaria ischaemum</i>
Cupgrass, Southwestern	<i>Eriochloa gracilis</i>
, Woolly	<i>Eriochloa villosa</i>
Fescue, Tall	<i>Festuca arundinacea</i>
Foxtail, Giant (Pigeongrass)	<i>Setaria faberi</i>
, Green	<i>Setaria viridis</i>
, Yellow	<i>Setaria glauca</i>
Goosegrass	<i>Eleusine indica</i>
Itchgrass	<i>Rottboellia exaltata</i>
Johnsongrass	<i>Sorghum halepense</i>
Junglerice	<i>Echinochloa colonum</i>
Muhly, Wirestem	<i>Muhlenbergia frondosa</i>
Orchardgrass	<i>Dactylis glomerata</i>
Panicum, Browntop	<i>Panicum fasciculatu</i>
, Fall	<i>Panicum dichotomiflorum</i>
, Texas	<i>Panicum texanum</i>
Quackgrass	<i>Agropyron repens</i>
Ryegrass, Annual	<i>Lolium multiflorum</i>
, Perennial	<i>Lolium perenne</i>
Sandbur, Field	<i>Cenchrus incertus</i>
Shattercane/Wildcane	<i>Sorghum bicolor</i>
Signalgrass, Broadleaf	<i>Brachiaria platyphylla</i>
Sprangletop, Red	<i>Leptochloa filiformis</i>
Witchgrass	<i>Panicum capillare</i>

Note: This product does not control Sedges (including Nutsedge or Nutgrass), Annual Bluegrass, or Broadleaf Weeds. Red Fescue, Chewings Fescue, Hard Fescue, and Dichondra Turfs are also tolerant of **HI-YIELD® GRASS KILLER HERBICIDE**.

WHEN TO APPLY

Apply any time Grassy Weeds are actively growing not exceeding the minimum of days from application to harvest when used on Vegetables and Fruits. Warm sunny weather will accelerate systemic movement from leaves and stems down to the roots to give complete kill. Do not mow or cut off tops of Weeds before spraying. Do not apply if rainfall is expected within one hour following application. Growth of treated Grasses stops soon after application. They turn yellow and die within one to three weeks depending on the Grass species, stage of growth and weather conditions. Cool weather, drought and heat stress slows activity.

HOW TO APPLY

With Hose-end Sprayers:

- No water dilution/premixing needed.** Determine how much area is to be treated in square feet. Pour 1 fluid ounce of **HI-YIELD® GRASS KILLER HERBICIDE** and 1 fluid ounce of Oil Concentrate in the hose-end sprayer bottle for each 1,800 square feet to be treated. Set the sprayer dial to apply as close to 1 fluid ounce per gallon as possible. After application, wash the sprayer with a dilute soap solution and rinse according to the sprayer instructions.
- Water dilution/premixing needed.** Some hose-end applicators recommend that liquid products be premixed with water before pouring into the sprayer bottle. Read the hose-end sprayer instructions for making treatments at 1 fluid ounce per 1,800 square feet. Clean the sprayer after use according to the sprayer instructions.

With Tank Sprayers:

Mix 1 ounce of **HI-YIELD® GRASS KILLER HERBICIDE** plus 1 fluid ounce of Oil Concentrate per 1 gallon of water and spray to just wet the unwanted Weedy Grasses. One gallon of spray will treat 1,800 square feet of area. Wash sprayer by flushing soapy water and then clean water through the sprayer.

Important:

For spot treating Grassy Weeds near Lawns and around any sensitive plants, a tank type sprayer is recommended. Spray carefully to avoid spray or drift contact with desirable plants. If drift occurs, wash off foliage immediately with water.

The quantities presented in the **Dilution Table** do not exceed the registered rates for the Fruits and Vegetables listed. Do not exceed the quantities presented.

TABLE 1. DILUTION TABLE

Amount of HI-YIELD® GRASS KILLER HERBICIDE (concentrate) and Oil Concentrate to use:

Amount Of Water To Be Used (Gallons)	Amount Of HI-YIELD® GRASS KILLER HERBICIDE		Amount Of Oil Concentrate*		Coverage In Square Feet
	Fluid Ounces	Tbsp.	Fluid Ounces	Tbsp.	
1	1	2	1	2	1,800
3	3	6	3	6	5,500
5	5	10	5	10	9,100
8	8	16	8	16	14,600

One gallon of spray will treat 1,800 square feet of area.

- To prevent leaf burn of desirable plants, do not use Oil Concentrate when comfort index (temperature °F + humidity) exceeds 150.

For use on Flowers, Bedding Plants, Evergreens, Shrubs, Trees and Ornamental Groundcovers HI-YIELD® GRASS KILLER HERBICIDE may be applied "over-the-top" of desirable plants infested by Weedy Grasses or as a directed spray to Weedy Grasses when label directions are followed. Do not exceed dosage rate per gallon of spray. See **Appendix** for tolerant plant listing. Most Ornamental Species tested have been found tolerant of HI-YIELD® GRASS KILLER HERBICIDE; however, use with caution around the following plants as they may be damaged if foliage is contacted by the spray: Azaleas (var. snow), Japanese Privet, Potentilla, Snow-in-Summer, Red Oak and White Oak and Ornamental Grasses.

HI-YIELD® GRASS KILLER HERBICIDE may also be used on the following nonbearing food plants. Do not apply within 1 year of harvest.

Apricots	Blackberries	Figs	Peaches	Pomegranates
Avocados	Cherries	Nectarines	Plums	Prunes

For use on Fruit and Vegetable areas (use only with tank type sprayers).

HI-YIELD® GRASS KILLER HERBICIDE may be used on the Fruits and Vegetables listed in the **Fruit And Vegetable Table**. Do not apply on or around any Fruits and Vegetables not listed on this label, especially Sweet Corn. Applications on and around tolerant Vegetables and Fruit should be applied with only a tank-type sprayer. A second application may be made to all listed Vegetables and Fruits except Peanut and Strawberry.

FRUIT AND VEGETABLE TABLE

CROP	MINIMUM TIME FROM APPLICATION TO HARVEST (PHI)
Apricots	25 Days
Asparagus	1 Day
Avocados (Non-Bearing)	1 Year
Beans, Dry	30 Days
, Succulent	15 Days
Beet (Garden)	60 Days
Blueberries*	30 Days
Brassica, including: Broccoli (including Chinese and Raab), Brussels Sprouts, Cabbage, (Bok Choy, Chinese Mustard, Napa), Cauliflower, Collards, Kale, Kohlrabi, Mustard Greens, Rape Greens	30 Days
Bulb Vegetables, including: Garlic, Leeks, Onions (Dry Bulb and Green), Shallots	45Days
Caneberries (All Varieties and/or hybrids of these): Blackberry, Raspberry (Red, Black), Loganberry, Youngberry	30 Days
Carrots	30 Days
Celery	30 Days
Cherries (Sweet and Sour)	25 Days
Citrus	15 Days
Cranberries	60 Days
Cucurbits, including: Cantaloupes (All), Cucumbers, Gherkins, HoneyDew Melons, Muskmelons (All), Pumpkins, Squash (All), Watermelons	14 Days
Dates (Non-Bearing)	1 Year
Deciduous Trees, Non-Food Crop Areas, Fallow Land	N/A
Endive	15 Days
Figs (Non-Bearing)	1 Year
Fruiting Vegetables, including: Eggplants, Groundcherries, Pepinos, Peppers (All), Tomatillos, Tomatoes	20 Days
Globe Artichoke	7 Days
Grapes	50 Days

FRUIT AND VEGETABLE TABLE (Continued)	
CROP	MINIMUM TIME FROM APPLICATION TO HARVEST (PHI)
Head And Petiole Type Vegetables: Cardoon, Celery, Celery (Chinese), Celtuce, Fennel (Florence), Lettuce (Head), Radicchio, Rhubarb, Swiss Chard	30 Days
Leafy Vegetables: Amaranth, Arugula, Chervil, Chrysanthemum (Edible, Garland), Cilantro, Corn Salad, Cress (Garden, Upland), Dandelion, Dock, Endive (Escarole), Lettuce (Leaf), Orach, Parsley, Purslane (Garden, Winter), Spinach (New Zealand, Vine)	15 Days
Lentils*	50 Days
Mint	20 Days
Nectarines	25 Days
Olives (Non-Bearing)	1 Year
Peaches	25 Days
Peanuts	40 Days
Peas, Dry	30 Days
, Succulent	15 Days
Pistachios (Non-Bearing)	1 Year
Plums (Non-Bearing)	1 Year
Pome Fruits Including: Apples, Crabapples, Pears and Quince	14 Days
Pomegranates (Non-Bearing)	1 Year
Prunes (Non-Bearing)	1 Year
Rhubarb	30 Days
Root and Tuberous Corms: Arracacha, Arrowroot, Artichoke (Chinese, Jerusalem), Canna (Edible), Cassava (Bitter, Sweet), Chayote Root, Chufa, Dasheen (Taro), Ginger, Laren, Potato, Sweet Potato***, Tanier, Tumeric, Yam Bean, Yam (True)	30 Days
Spinach	15 Days
Strawberries**	7 Days
Sugar Beets	60 Days
Tree Nuts (Does Not Include Pistachios.)	15 Days

* Not For Use In California.

** Not For Use In Florida.

*** In The West, The PHI of Sweet Potato is 60 Days. Western U.S. Includes AZ, CA, ID, NV, OR And WA.

APPENDIX		
TREES - Listed By Common Name		
Acacia, Knife Leaf (<i>Acacia cultriformis</i>)	Carob Tree (<i>Ceratonia siliqua</i>)	Goldenrain Tree (<i>Koeleruteria paniculata</i>)
Arborvitae, Eastern (var: Teehny) (<i>Thuja occidentalis</i>)	Carrot Wood (<i>Cupaniopsis anacardioides</i>)	Guava (<i>Psidium littorale</i>)
, Berkman's, Oriental (<i>Thuja Orientalis</i>)	Catalpa, Southern (<i>Catalpa bignonioides</i>)	, Pineapple (<i>Feijoa sellowiana</i>)
Ash, Green (<i>Fraxinus pennsylvanicum</i>)	Cherry, Black (<i>Prunus serotina</i>)	Gum, Blue (<i>Eucalyptus globulus</i>)
, Mountain (<i>Sorbus aucuparia</i>)	, Carolina (<i>Prunus caroliniana "compacta"</i>)	, Lemon-scented (<i>Eucalyptus citriodora</i>)
, Mountain (<i>Sorbus americana decora</i>)	Crabapple, Flowering (var: Dalgo, Radiant, Red Splendor, Royalty, Vanguard, Sylvestris, Domestic) (<i>Malus sp.</i>)	, Red Box (<i>Eucalyptus polyanthemos</i>)
, White (<i>Fraxinus americana</i>)	Cypress, False (<i>Chamaecyparis pisifera</i>)	Hackberry, Common (<i>Celtis occidentalis</i>)
Basswood, American (<i>Tilia americana</i>)	, Leyland (<i>Cupressocyparis leylandii</i>)	Hemlock, Canadian (<i>Tsuga Canadensis</i>)
Berkman's, Oriental (<i>Thuja orientalis</i>)	, Italian (<i>Cupressus sempervirens</i>)	Holly, Chinese (var: Bufordii, Rotunda)
Birch (<i>Betula sp.</i>)	Dogwood, Flowering (<i>Cornus florida</i>)	, Hybrid (var: Nellie Stevens)
, Asian White (var: Japonica) (<i>Betula platyphylla</i>)	, Silky (<i>Cornus amomum</i>)	, (flex spares) (<i>Ilex cornuta</i>)
, European White (<i>Betula pendula</i>)	, Pagoda (<i>Cornus alternifolia</i>)	, Japanese (var: Convexa, Compacta, Helleri, Hoogendorn)
, Paper (<i>Betula papyrifolia</i>)	Elm, Chinese Evergreen (<i>Ulmus parvifolia</i>)	, (flex vomitoria) (<i>Eucalyptus sideroxylon</i>)
, River, Black or Red (<i>Betula nigra</i>)	Eucalyptus (<i>Eucalyptus robusta</i>)	Ironbark, Red (<i>Eucalyptus sideroxylon</i>)
Black Locust (<i>Robinia pseudoacacia</i>)	, (Eucalyptus lehmannii) (<i>Eucalyptus nicholi</i>)	Jacaranda (<i>Jacaranda mimosifolia</i>)
Bottle-brush (<i>Callistemon lanceolatus</i>)	, (Eucalyptus granis)	Kentucky Coffee Tree (<i>Gymnocladus dioica</i>)
Bottle Tree (<i>Brachychiton populneus</i>)	Fir (<i>Abies sp.</i>)	Larch, European (<i>Larix europaea</i>)
Brisbane Box Tree (<i>Tristania conferta</i>)	, Douglas (<i>Pseudotsuga menziesii</i>)	Laurel, Indian (<i>Ficus microcarpa nitida</i>)
Cajeput Tree (<i>Melaleuca quinquenervia</i>)	, Frasier (<i>Abies fraseri</i>)	Linden (<i>Tilia americana</i>)
	, White (<i>Abies concolor</i>)	, Littleleaf (<i>Tilia cordata</i>)

TREES (Continued) Listed By Common Name		
Locust, Honey (<i>Gleditsia triacanthos inermis</i>)	(<i>Cycas revoluta</i>)	, Slash
Loquat (<i>Eriobotrya japonica</i>)	, Windmill (<i>Tracheocarpus fortunei</i>)	(<i>Pinus ellottii</i>)
Magnolia, Southern (<i>Magnolia grandiflora</i>)	Palo Verde, Green (<i>Parkinsonia aculeata</i>)	, Southern (<i>Pinus palustris</i>)
Maple, Red (<i>Acer rubrum</i>)	Paulownia Royal (<i>Paulownia tomentosa</i>)	, Virginia (<i>Pinus virginiana</i>)
, Japanese (<i>Acer palmatum</i>)	Pear, Common (<i>Pyrus communis</i>)	, White (<i>Pinus strobus</i>)
, Silver (<i>Acer saccharinum</i>)	, Evergreen (<i>Pyrus kawakamii</i>)	, White, Japanese (<i>Pinus parviflora</i>)
Mimosa Tree (Silk Tree) (<i>Albizia julibrissin</i>)	, Ussurian (<i>Pyrus ussuriensis</i>)	, Yew (<i>Podocarpus macrophyllus</i>)
Myoporum (<i>Myoporum laetum</i>)	Pepper, Brazilian (<i>Schinus terebinthifolius</i>)	Plum, Wild (<i>Prunus americana</i>)
New Zealand , Christmas Tree (<i>Metrosideros excelsus</i>)	Pine, Aleppo (<i>Pinus halepensis</i>)	Poplar, Hybrid (<i>Populus alba</i>)
Oak (<i>Quercus</i>)	, Austrian (<i>Pinus nigra</i>)	Popular, Yellow, Tulip Tree (<i>Liriodendron tulipifera</i>)
, Water (<i>Quercus nigra</i>)	, Canary Island (<i>Pinus canariensis</i>)	Purpleleaf, Bailey Acacia (<i>Acacia baileyana</i>)
, Willow (<i>Quercus phellos</i>)	, Caribbean Slash (<i>Pinus caribaea</i>)	Redwood, Coast (<i>Sequoia sempervirens</i>)
Olive Tree (<i>Olea europaea</i>)	, Italian Stone (<i>Pinus pinea</i>)	Sandcherry, Western (<i>Prunus besseyi</i>)
Olive, Russian (<i>Elaeagnus angustifolia</i>)	, Jack (<i>Pinus banksiana</i>)	Sensitive Plant (<i>Mimosa pudica</i>)
Orchid Tree, Purple (<i>Bauhinia variegata</i>)	, Japanese Black (<i>Pinus thunbergii</i>)	Silk Tree (<i>Albizia julibrissin</i>)
Osage Orange (<i>Maclura pomifera</i>)	, Loblolly (<i>Pinus taeda</i>)	Spruce, Black Hills (var: <i>Densata</i>)
Palm, Mediterranean fan (<i>Chamaerops humilis</i>)	, Mugho (<i>Pinus mugho</i>)	, Colorado Blue (<i>Picea glauca</i>)
Pygmy Date (<i>Phoenix roebelenii</i>)	, Ponderosa, Western Yellow (<i>Pinus ponderosa</i>)	, Norway (<i>Picea pungens</i>)
, Queen (<i>Arecastrum romanzoffianum</i>)	, Red (<i>Pinus resinosa</i>)	, White (<i>Picea abies</i>)
, Sago	, Scotch (<i>Pinus sylvestris</i>)	, White (<i>Picea glauca</i>)
	, Shore (<i>Pinus contra</i>)	Strawberry Tree (<i>Arbutus unedo</i>)
		Sumac, Standard, African (<i>Rhus lancea</i>)

TREES (Continued) Listed By Common Name		
Sweet Gum (<i>Liquidambar styraciflua</i>)	(<i>Juglans nigra</i>)	, Peppermint
Sycamore (<i>Platanus occidentalis</i>)	Weeping Fig, Exotica (<i>Ficus benjamina</i>)	(<i>Agonis flexuosa</i>)
Tea Tree, Australian (<i>Leptospermum laevigatum</i>)	Willow (<i>Salix matsudana tortuosa</i>)	Yate, Bushy (<i>Eucalyptus lehmannii</i>)
Tipu Tree (<i>Tupanea tipu</i>)	, Australian (<i>Geijera parviflora</i>)	Yew, English (<i>Taxus baccata</i>)
Walnut, Black	, Desert (<i>Pittosporum phylliraeoides</i>)	

APPENDIX SHRUBS Listed By Common Name		
Abelia, Glossy (<i>Abelia grandiflora</i>)	Barberry, Japanese (<i>Berberis thunbergii</i>)	(var: <i>Pyramidiformis, canertl</i>) (<i>Juniperus virginiana</i>)
Acacia, Bailey (<i>Acacia baileyana</i>)	, Korean (<i>Berberis koreana</i>)	Cherry, Brush (<i>Eugenia myrtifolia</i>)
, Knife Leaf (<i>Acacia cultriformis</i>)	, Redleaf (<i>Berberis virginian</i>)	, Manchu, Nanking (<i>Prunus tomentosa</i>)
, Prostrate (<i>Acacia redolens</i>)	Bird Of Paradise Bush (<i>Caesalpinia gillesii</i>)	Chokecherry sp. (<i>Aronia meloelata</i>)
, Sydney Golden Wattle (<i>Acacia longifolia</i>)	Bluebeard (<i>Caryopteris clandonensis</i>)	Copper Plant, Caribbean (<i>Euphorbia cotinifolia</i>)
Andromeda (<i>Pieris japonica</i>)	Boxwood, Common (<i>Buxus sempervirens</i>)	Cotoneaster, Bearberry (<i>Cotoneaster dammerii</i>)
Arbortvitae, Oriental (<i>Platycladus orientalis</i>)	, African (<i>Myrsine africana</i>)	, Cranberry (<i>Cotoneaster apiculata</i>)
Arrowwood, Southern (<i>Viburnum dentatum</i>)	, Japanese (var: <i>Japonica</i>)	, 'lowfast' (<i>Cotoneaster acutifolia</i>)
Azalea, Mollis hybrid (<i>R. x kosterianum</i>)	(<i>Buxus microphylla</i>)	, Peking (<i>Cotoneaster acutifolia</i>)
, Northern Lights Hybrid (<i>R x kosterianum x R prino-phyllum</i>)	Buckthorn, Glossy, Alder (<i>Rhamnus frangula</i>)	Coyote Bush (<i>Bacchans pilularis</i>)
Bamboo, Heavenly (<i>Nandina domestica</i>)	Camellia (<i>Camellia japonica</i>)	Cranberry Bush, American (<i>Viburnum trilobum</i>)
	(<i>Camellia sasanqua</i>)	, Golden (<i>Viburnum opulus aureum</i>)
	Cedar, Eastern Red	

SHRUBS (Continued) Listed By Common Name		
Crape Myrtle (<i>Lagerstroemia indica</i>)	(<i>Alyogyne huegelli</i>)	Green, Springtime, Admiral (<i>Juniperus scopulorum</i>)
Currant, Alpine (<i>Ribes alpinum</i>)	Hibiscus, Chinese (<i>Hibiscus rosa-sinensis</i>)	, Savin
Dogwood, Red Osier (<i>Cornus stolonifera</i>)	Holly, Dwarf Burford (var: <i>Burfordii</i> Nana)	(var: <i>Skandia</i> , Arcadia, Broadmoor, Buffalo, Pepin)
Elaeagnus (<i>Elaeagnus umbellata</i>)	(<i>Ilex cornuta</i>)	(<i>Juniperus sabina</i>)
Escallonia (<i>Escallonia fradesii</i>)	Honeysuckle, Bush (<i>Diervilla lonicera</i>)	, Shore (var: <i>Compacta</i>)
(<i>Escallonia rubra</i>)	, Cape (<i>Tecomaria capensis</i>)	(<i>Juniperus conferta</i>)
Euonymus, Evergreen (var: <i>Golden, Silver King</i>)	Hydrangea (<i>Hydrangea macrophylla</i>)	, Tam (var: <i>Tamariscifolia</i>)
(<i>Euonymus japonica</i>)	Jasmine Asiatic (<i>Trachelospermum asiaticum</i>)	(<i>Juniperus sabina</i>)
, Winged (<i>Euonymus alata</i>)	, Orange (<i>Murraya paniculata</i>)	Lantana, Purple Trailing (<i>Lantana montevidensis</i>)
Fig, Creeping (<i>Ficus repens</i>)	, Star (<i>Trachelospermum jasminoides</i>)	Laurustinus (<i>Viburnum tinus</i>)
Firethorn (<i>Pyracantha graberi</i>)	, Winter (<i>Jasmine nudiflorum</i>)	Lemonade Berry (<i>Rhus integrifolia</i>)
Forsythia, Greenstem (<i>Forsythia viridissima</i> <i>bronzensis</i>)	Jessamine, Carolina (<i>Gelsemium sempevirens</i>)	Lilac, Common Purple (<i>Syringa vulgaris purpurea</i>)
Flax, New Zealand (<i>Phormium tenax</i>)	Joyoba (<i>Simmondsia chinensis</i>)	Liriope, Green (<i>Liriope muscari</i>)
Fuchsia, Australian (<i>Correa pulchella</i>)	Juniper, Chinese (var: <i>Maneyi</i> , Old Gold, Phtzerana, Sea Green, Hekii, Nana, Torulosa, Phtzerana Aurea, Pfitzer, Golden Pfitzer)	, Variegated (<i>Liriope muscari</i>)
Gardenia (var: <i>Mystery</i> , Radicans) (<i>Gardenia augusta</i>)	(<i>Juniperus chinensis</i>)	Mickey Mouse Bush (<i>Ochna serrulata</i>)
(<i>Gardenia jasminoides</i>)	Creeping (var: <i>Bluechip</i> , Hughes, Plumosa, Prince of Wales, Webber, Wiltonii, Bar Harbor, Andorra, Variegata, Youngstown Blue Rug)	Mirror Plant (<i>Coprosma repens</i>)
(var: <i>Veitchii</i>) (<i>Gardenia jasminoides</i>)	(<i>Juniperus horizontalis</i>)	Mock Orange (<i>Pittosporum tobira</i>)
Gold Vine, Guinea (<i>Hibbertia scandens</i>)	, Ozark (<i>Juniperus sp.</i>)	Mountain Lilac, Carmel Creeper (<i>Ceanothus griseus</i>)
Hakea (<i>Hakea proteacea</i>)	, Rocky Mountain (var: <i>Blue Heaven</i> , Welchii, Wichita Blue, Medova, Moffet, Pyramidal	Myrtle, Dwarf (<i>Myrtus communis compacta</i>)
Hawthorn, Indian (<i>Phaphiolepis indica</i>)		Nandina, Heavenly Bamboo (<i>Nandina domestica</i>)
Hibiscus, Blue		Nannyberry (<i>Viburnum lantago</i>)
		Ninebark (<i>Physocarpus opulifolius</i>)
		Ninebark

SHRUBS (Continued) Listed By Common Name		
(var: <i>Aureus</i>) (<i>Physocarpus opulifolius nanus</i>)	(<i>Ligustrum texanum</i>)	(<i>Leptospermum scoparium</i>)
Oleander (<i>Nerium oleander</i>)	Purple Hop Bush (<i>Dodonaea viscosa</i>)	Texas Ranger (<i>Leucophyllum frutescens</i>)
Orchid, rockrose (<i>Cistus purpureus</i>)	Pyracantha (<i>Pyracantha graberi</i>)	Toyon, California Holly (<i>Heteromeles arbutifolia</i>)
Oregon Grape (<i>Mahonia aquifolium</i>)	Rhododendron – Azalea (var: <i>Hinocrimson</i> , Hershey Red, Coral Blue, Hinodigiri, Christmas Cheer, Pink Ruffle, Formosa Flame, Delaware Valley White, New White)	Trumpet Vine, Pink (<i>Pandorea rosea</i>)
Osmanthus, Holly-leaf (<i>Osmanthus heterophyllus</i>)	(<i>Rhododendron sp.</i>)	Veronica (<i>Hebe 'Coed'</i>)
, Sweet Olive (<i>Osmanthus fragrans</i>)	Sandcherry, Purpleleaf (<i>Prunus cistena</i>)	Viburnum, Japanese (<i>Viburnum japonicum</i>)
Palm, Natal (var: <i>Green Carpet</i> Tuttle) (<i>Carissa grandiflora</i>)	Serviceberry, Allegheny (<i>Amelanchier laevis</i>)	, Sandankwa (<i>Viburnum suspensum</i>)
Pampas Grass (<i>Cortaderia selloana</i>)	, Saskatoon (var: <i>Regent</i>)	Wayfaring Tree (<i>Viburnum lantanoides</i>)
Photinia (<i>Photinia sp.</i>)	(<i>Amelanchier alnifolia</i>)	Weeping Fig, Exotica (<i>Ficus benjamina</i>)
Photinia, Fraser (<i>Photinia fraseri</i>)	Silver King (<i>Euonymus japonica</i>)	Wheeler Dwarf, Variegated (var: <i>Wheller</i>)
Pink Lady (<i>Rahioleis indica</i>)	Sky Flower, Brazilian (<i>Duranta stenostachya</i>)	(<i>Pittosporum tobira</i>)
Pink Powder Puff (<i>Calliandra haematocephala</i>)	Snowball Bush (<i>Viburnum opulus sterilis</i>)	Yellow Bells (<i>Tecoma stans</i>)
Pittosporum, Variegated Japanese (<i>Pittosporum tobira variegata</i>)	Spindle Tee (<i>Euonymus kiautschovica</i>)	Yesterday-Today-and-Tomorrow (<i>Brunfelsia calycina</i>)
Plumbago, Cape (<i>Plumbago capensis</i>)	Spiraea (<i>Spiraea vanhouttei</i>)	Yew (<i>Taxus cuspidata vigatum</i>)
Podocarpus, Yew (<i>Podocarpus macrophyllus</i>)	(var: <i>Anthony Waterer</i> , Froebelli, Goldflame) (<i>Spiraea bumalda</i>)	
Princess Flower (<i>Tibouchina urvilleana</i>)	(var: <i>Fairy Queen</i>) (<i>Spiraea trilobata ovica</i>)	
Privet (<i>Ligustrum indica</i>)	(var: <i>Snowbound</i>) (<i>Spiraea nipponica ovica</i>)	
Glossy (var: <i>Lake Tresca</i>) (<i>Ligustrum lucidum</i>)	Star Plant, Lavender (<i>Grewia occidentalis</i>)	
, Japanese, Waxleaf (<i>Ligustrum japonicum</i>)	Tea Tree, Australian (<i>Leptospermum laevigatum</i>)	
, Texas	, New Zealand (var: <i>Red Glow</i>)	

APPENDIX

ORNAMENTALS, BEDDING PLANTS Listed By Common Name

Allysum (<i>Alyssum</i> sp.)	(<i>Begonia semperflorens</i>)	Daffodil (<i>Narcissus</i> spp.)
Asparagus, Myers (var: Meyer)	Bellflower, Tussock (var: Canterbury Bells)	Dahlia (<i>Dahlia pinnata</i>)
(<i>Asparagus densiflorus</i>)	(<i>Campanula carpatica</i>)	Daisy Bush (<i>Euryops pectinatus</i>)
, Sprenger (var: Sprenger)	Bittersweet, American (<i>Calatrus scandens</i>)	Daisy, Blue (<i>Felicia amelloides</i>)
(<i>Asparagus densiflorus</i>)	Black-Eyed Susan (var: Goldilocks)	, Shasta (var: Alaska)
Aster, New York (<i>Aster novi-belgii</i>)	(<i>Rudbeckia hirta</i>)	(<i>Chrysanthemum maximum</i>)
, Stokes (var: Blue, White)	Bleeding Heart (<i>Dicentra spectabilis</i>)	Daylily (<i>Hemerocallis hybrids</i>)
(<i>Stokesia cyanae</i>)	Butterfly Weed (<i>Asclepias tuberosa</i>)	Dianthus (<i>Dianthus deltoides</i>)
Baby's Breath (var: Bristo Fairy)	(<i>Stokesia cyanae</i>)	Dragonhead, False (<i>Physotegia virginiana</i>)
(<i>Gypsophila paniculata</i>)	Bower Vine (<i>Pandorea jasminoides</i>)	Dusty Miller (<i>Centaurea cineraria</i>)
Begonia (<i>Begonia semperflorens</i>)	Cactus, Barrel (<i>Echinocactus</i> sp.)	Fern, Sprenger Asparagus (<i>Asparagus densiflorus Sprengerii</i>)
Bellflower, Tussock (var: Canterbury Bells)	Candytuft (<i>Iberis sempervirens</i>)	Fescue, Blue (<i>Festuca ovina</i>)
(<i>Campanula carpatica</i>)	(<i>Iberis amara</i>)	Flowering Tobacco (<i>Nicotiana</i> sp.)
Bittersweet, American (<i>Calatrus scandens</i>)	Canna (<i>Canna</i> sp.)	Fountain Grass, Red (<i>Pennisetum setaceum</i>)
Black-Eyed Susan Allysum (<i>Alyssum</i> sp.)	Cassia, Feathered (<i>Cassia artemisioides</i>)	Gazania (<i>Gazania ringens leucolaena</i>)
Asparagus, Myers (var: Meyer)	Chrysanthemum, Marguerite (<i>Chrysanthemum frutescens</i>)	(<i>Gazania</i> sp.)
(<i>Asparagus densiflorus</i>)	(<i>Chrysanthemum indicum</i>)	Geranium (<i>Geranium</i> sp.)
, Sprenger (var: Sprenger)	Cockscomb (<i>Celosia argentea</i>)	, Martha Washington (<i>Pelargonium domesticum</i>)
(<i>Asparagus densiflorus</i>)	(<i>Canna</i>)	Gerbera Daisy (<i>Gerbera jamesonii</i>)
Aster, New York (<i>Aster novi-belgii</i>)	Coleus (<i>Coleus blumei</i>)	Geum (var: Lady Strathedon, Mrs. Bradshaw Improved)
, Stokes (var: Blue, White)	Coneflower, Purple (var: Gloriosa Daisy)	Gladoliolus
(<i>Stokesia cyanae</i>)	(<i>Echinacea purpurea</i>)	
Baby's Breath (var: Bristo Fairy)	Coralbells (<i>Heuchera sanguinea</i>)	
(<i>Gypsophila paniculata</i>)	Coreopsis (var: Sunray)	
Begonia	(<i>Coreopsis lanceolata</i>)	
	Cup of Gold Vine (<i>Solandra maxima</i>)	

ORNAMENTALS, BEDDING PLANTS (Continued)

Listed By Common Name

(<i>Gladiolus</i> sp.)	Lilac, Chinese (<i>Syringa chinensis</i>)	Plantain Lily (<i>Hosta</i> sp.)
Heather, False (<i>Cuphea hyssopifolia</i>)	, Common Purple	Purple Loosestrife (var: Morden's Gleam)
Honeysuckle, Amar (<i>Lonicera maachii</i>)	Spath, Jay Tree (<i>Syringa vulgaris purpurpa</i>)	(<i>Lythrum virgatum</i>)
Honeysuckle, Fly (var: Emerald Mound, Clavey's Dwarf)	, Meyer (var: Palibin) (<i>Syringa</i> sp.)	Raspberry Ice (<i>Bougainvillea</i> sp.)
(<i>Lonicera xylostium</i>)	, Korean (var: Miss Kim)	Sage (<i>Salvia greggii</i>)
, Japanese (<i>Lonicera japonica</i>)	(<i>Syringa patula</i>)	Sea Pinks, Thrift (<i>Armeria maritima</i>)
, Morrow (<i>Lonicera morrowii</i>)	, Mountain (<i>Ceanothus griseus</i>)	Sedum, Stonecrop (<i>Sedum x rubrotinctum</i>)
, Tatarian (var: Zabeli)	Lily-of-the-Nile, Peter Pan (<i>Agapanthus africanus</i>)	(<i>Lavender cotton</i>)
(<i>Lonicera tatarica</i>)	Lily-of-the-Valley (<i>Convallaria majalis</i>)	Shrimp Plant (<i>Justicia brandegeana</i>)
Hopseed Bush, Purple (var: Purpurea)	Lobelia (<i>Lobelia erinus</i>)	Sky Flower, Brazilian (<i>Duranta stenostachya</i>)
(<i>Dodonaea viscosa</i>)	Marigold (<i>Tagetes</i> sp.)	Snail Vine (<i>Vigna caracalla</i>)
Impatiens (<i>Impatiens</i> sp.)	Mirror Plant (<i>Coprosma baueri</i>)	Snappedragon (<i>Antirrhinum majus</i>)
Iris (<i>Iris</i> sp.)	, African (<i>Veronica spicata</i>)	Speedwell, Spike (<i>Veronica spicata</i>)
(<i>Diets bicolor</i>)	, Variegated (<i>Coprosma repens</i>)	Statice, Perennial (<i>Limonium perezii</i>)
Ivy, Grape (var: Ellen Danica)	Moneywort, Creeping Jenny (<i>Lysimachia nummularia</i>)	Stock (<i>Mattiola incana</i>)
(<i>Cissus rhombifolia</i>)	Moss, Rose (<i>Portulaca grandiflora</i>)	Sweet Grass (<i>Acorus gramineus</i>)
Jack-in-the-Pulpit (<i>Arisaema pusillum</i>)	Sandwort (<i>Arenaria verna</i>)	Sweet William (<i>Dianthus barbatus</i>)
(<i>Mrs. Bradshaw Improved</i>)	Pansy, Johnny-Jump-Up (<i>Viola tricolor</i>)	Transvaal Daisy (<i>Gerbera jamesonii</i>)
Jade Plant (<i>Crassula argentea</i>)	Pepper, Ornamental (<i>Capsicum</i> sp.)	Trumpet Vine, Blood Red (<i>Distictis buccinatoria</i>)
Jasmine, Madagascar (<i>Stephanotis floribunda</i>)	Periwinkle, Madagascar (<i>Catharanthus roseus</i>)	, Lavender (<i>Clytostoma callistegioides</i>)
Lamb's Ear (<i>Stachys lanata</i>)	Periwinkle (<i>Vinca minor</i>)	, Pink (<i>Pandorea rosea</i>)
Lavender, English (<i>Lavandula vera</i>)	Petunia (<i>Petunia</i> sp.)	Tulip (<i>Tulipa</i> sp.)
, French (<i>Lavandula dentata</i>)	Phlox, Perennial (<i>Phlox paniculata</i>)	Verbena
, Cotton (<i>Santolina chamaecyparissus</i>)		

ORNAMENTALS, BEDDING PLANTS (Continued)

Listed By Common Name

(<i>Verbena</i> sp.) Wandering Jew (<i>Tradescantia</i> sp.) Wisteria (<i>Wisteria sinensis</i>)	Yarrow (var: <i>Cerise Queen</i>) (<i>Achillea Millefolium</i>) Debutante (<i>Achillea taygetea</i> v.)	Yellow Trumpet (<i>Macfadyena unguis-cati</i>) Zinnia (<i>Zinnia elegans</i>)
--	---	--

APPENDIX

GROUND COVERS

Listed By Common Name

Aaron's Beard (<i>Hypericum calycinum</i>) Aptenia (var: <i>Red Apple</i>) (<i>Aptenia cordifolia</i>) Bergenia, Winter-blooming (<i>Bergenia crassifolia</i>) Bugleweed (<i>Ajuga reptans</i>) Capeweed (<i>Arctotheca calendula</i>) Carpathian, Harebell (<i>Campanula carpatia</i>) Cinquefoil, Spring (<i>Potentilla tabernaemontani</i>) Coyote Brush (var: <i>Twin Peaks</i>) (<i>Baccharis pilularis</i>) Crownvetch (<i>Coronilla varia</i>) Cushion Bush (<i>Calceophalus brownii</i>) Daisy, Trailing African, Freeway (<i>Osteospermum</i>) White African (<i>Osteospermum fruticosum</i> alba) Gazania, Trailing (<i>Gazania regens leucolaena</i>)	Green Carpet (<i>Herniaria glabra</i>) Ivy, Algerian (<i>Hedera canaiensis</i>) Boston (<i>Parthenocissus tricuspidata</i>) English (<i>Hedera helix</i>) (var: <i>California</i>) Grape (var: <i>Ellen Danica</i>) (<i>Cissus rhombifolia</i>) Hahn's (var: <i>Hahnii</i>) (<i>Hedera helix</i>) Lantana, Lavender (<i>Lantana montevidensis</i>) Lily-turf, Big Blue (<i>Liriope muscari</i>) Lippla (<i>Phyla nodiflora</i>) Mondo Grass (<i>Ophiopogon japonicus</i>) Myoporum (var: <i>Prostratum</i>) (<i>Myoporum parvifolium</i>) Pachysandra (<i>Pachysandra terminalis</i>) Periwinkle	(<i>Vinca major</i>) Plumbago, Dwarf (<i>Ceratostigma plumbaginoides</i>) Pork and Beans (<i>Sedum rubrotinctum</i>) Rosea Ice Plant (<i>Drosanthemum floribundum</i>) Rosemary, Dwarf (var: <i>Prostratus</i>) (<i>Rosmarinus officinalis</i>) Rupture Wort (<i>Herniaria glabra</i>) St. Johnswort, Creeping (<i>Hypericum calycinum</i>) Stonecrop, Sedum (<i>Sedum rubrotinctum</i>) Verbena (<i>Verbena officinalis</i>) Blue (<i>Verbena peruviana</i>)
---	--	---

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label. The limit of any liability incurred shall be the purchase price paid by the User or Buyer.

CONDITIONS OF SALE AND WARRANTY

The Directions For Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result, because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of Voluntary Purchasing Groups, Inc. or the Seller. All such risks shall be assumed by the Buyer.

Voluntary Purchasing Groups, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use, subject to the inherent risks, referred to above. VOLUNTARY PURCHASING GROUPS, INC. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY, IN NO CASE SHALL VOLUNTARY PURCHASING GROUPS, INC. OR THE SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Voluntary Purchasing Groups, Inc. and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of Voluntary Purchasing Groups, Inc.