

Hi-Yield® Bug Blaster Turf Insect Control Granules

For Chemical Emergency, Spill, Leaf, Fire, Exposure, or Accident, Call CHEMTREC Day or Night: 1-800-424-9300 For Medical Emergencies Only, Call: 1-877-325-1840

Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham, Texas 75418

Effective Date: December 12, 2008

1. PRODUCT AND COMPANY IDENTIFICATION:

PRODUCT: Hi-Yield® Bug Blaster Turf Insect Control Granules

GENERAL USE: Pyrethroid type insecticide/miticide

PRODUCT DESCRIPTION: Tan, solid granule with a lightly musty odor

MOLECULAR FORMULA: C₂₂H₂₂CIF₃O₂ (Bifenthrin)

EPA No.: 5481-521-7401

2. COMPOSITION / INFORMATION ON INGREDIENTS:

NAME	CAS#.	Wt%	Hazard(s)	PEL/TLV
Bifenthrin	82657-04-3	0.2	None	None
Other Ingredients (includes trace amou of crystalline silica, q		99.8		
, , , ,	14808-60-7	trace	Silicosis	0.1mg/m3 (OSHA) 0.05mg/m3 (ACGIH)

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

CAUTION! Causes eye irritation. Causes skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Use with adequate ventilation. Do not contaminate feed or foodstuffs.

KEEP AWAY FROM CHILDREN

Highly Toxic to fish and aquatic organisms. Keep out of bodies of water.

POTENTIAL HEALTH EFFECTS

ROUTE(s) OF ENTRY: Typical routes of exposure are swallowing, inhalation, or coming into contact with the skin.

SIGNS OF ACUTE OVEREXPOSURE: Symptoms of overexposure include tremors, convulsions, in coordination, decreased locomotion and nasal discharge, including bleeding. Contact with Bifenthrin may occasionally produce skin sensations such as rashes, numbing, burning or tingling. These skin sensations are reversible and usually subside within 12 hours

SIGNS OF CHRONIC OVEREXPOSRE: Same as acute.

OTHER POTENTIAL HEALTH EFFECTS: Bifenthrin has produced an increased incidence of urinary bladder tumors in male mice at the highest dose level tested. This response however was considered equivocal and not evidence of a clear compound related effect. EPA has classified Bifenthrin as a class C carcinogen, a possible human carcinogen. Respirable crystalline silica is listed as being carcinogenic by both IARC and NTP. It is present at less than 0.01% in the product.



Hi-Yield® Bug Blaster Turf Insect Control Granules

For Chemical Emergency, Spill, Leaf, Fire, Exposure, or Accident, Call CHEMTREC Day or Night: 1-800-424-9300 For Medical Emergencies Only, Call: 1-877-325-1840

Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham. Texas 75418

Effective Date: December 12, 2008

MEDICAL CONDITIONS AGGRAVATED BY EXPOSRE: None presently known.

CARE SHOULD BE EXERCISED IN HANDLING THIS PRODUCT.

4. FIRST AID MEASURES:

EYES: Immediately flush the eyes with copious amounts of clear, cool running water for a minimum of 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. Contact a physician if irritation occurs and persists.

INHALATION: Remove victim to fresh air. If breathing has ceased, clear the victim's airway and start artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Contact a physician immediately.

INGESTION: Induce vomiting by giving two glasses of water and sticking a finger down throat or giving syrup of ipecac. Never give anything by mouth to an unconscious person. Contact a physician immediately.

SKIN: Remove contaminated clothing. Wash thoroughly with soap and clean water. If a rash or any of the symptoms of acute exposure appear, contact a physician immediately.

NOTE TO PHYSICIANS: Although this product has a low toxicity if swallowed and has low dermal toxicity, bifenthrin technical is moderately toxic if swallowed. This product may be slightly irritating to the skin and practically non-irritating to the eyes. Gastric lavage using an endotracheal tube may be preferred to vomiting. Reversible skin sensations (paresthesia) may occur and ordinary skin salves have been found useful in reducing discomfort. Treatment is otherwise controlled by removal of exposure followed by symptomatic and supportive care. Contact your local poison control center for more medical information.

5. FIRE FIGHTING MEASURES:

FLAMMABLE PROPERTIES:

Flash Point: >212° F /100°C (TCC)

Auto ignition Temperature: Not determined

Flammable Limits:

Lower flammable limit: Not determined Upper flammable limit: Not determined

EXPLOSIVITY:

Mechanical Impact: Not expected to be explosive Under mechanical impact conditions.

Static Discharge: Not expected to be explosive.

HAZARDOUS COMBUSTION PRODUCTS:

Slightly combustible, and may support combustion at elevated temperatures. This product may emit hazardous fumes of hydrogen chloride, hydrogen fluoride, carbon oxides, and unidentified organic compounds when it is heated excessively or burned. WEAR SELF-CONTAINED BREATH APPARATUS.

EXTINGUISHING MEDIA: Water spray, dry chemical, foam or carbon dioxide.



Hi-Yield® Bug Blaster Turf Insect Control Granules

For Chemical Emergency, Spill, Leaf, Fire, Exposure, or Accident, Call CHEMTREC Day or Night: 1-800-424-9300 For Medical Emergencies Only, Call: 1-877-325-1840

Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham. Texas 75418

Effective Date: December 12, 2008

FIRE FIGHTING INSTRUCTIONS: Isolate fire area. Evacuate downwind. Wear full protective clothing and self-contained breathing apparatus. Do not breathe smoke, gases or vapors generated.

6. ACCIDENTAL RELEASE MEASURES:

GENERAL: Thoroughly ventilate area. Wear self-contained breathing apparatus and complete protective clothing as listed in Section 8. Keep unauthorized personnel out of area.

SMALL SPILL: Isolate area to prevent contamination of water bodies. Place in covered containers. Clean area first with an alcoholic caustic or soda ash solution, then follow with soap and water. The cleaning solutions are also hazardous wastes.

LARGE SPILL: Dike or otherwise isolate the spill area to prevent contamination of water bodies. Sweep or vacuum the spilled solids into a closed container, taking care not to create dusting conditions. Use the recovered material according to label directions or discard as a hazardous waste. If water is used to aid in the cleanup, absorb any liquid on clay, sand, etc, and place absorbed liquid into a hazardous waste container. Clean the spill area first with an alcoholic caustic or soda ash solution, then follow with soap and water. The cleaning solutions are also hazardous wastes.

7. HANDLING AND STORAGE:

HANDLING: Keep this product cool and dry. Keep container closed. Store away from feed, food and drink. Keep away from children and pets. Wash thoroughly after handling this product. Make certain containers are grounded to prevent static buildup and discharge.

STORAGE: Store product in its original container in a cool, dry, locked place out of the reach of children. Store away from sources of heat and ignition.

8. EXPOSURE CONTROL/PERSONAL PROTECTION:

ENGINEERING CONTROLS: General air replacement or dilution ventilation is sufficient for material handling and storage, but local ventilation should be used when removing this product from containers. Ventilate all transport vehicles prior to unloading.

RESPIRATORY PROTECTION: A properly <u>FIT-TESTED</u> NIOSH/MSHA approved respirator fitted with organic vapor cartridges with a pre-filter approved for pesticide is required for exposures in enclosed areas. For exposures outdoors, a NIOSHMSHA approved dust/mist filtering respirator is required.

SKIN PROTECTIONS: Applicators and other handlers must wear long-sleeved shirt and long pants: waterproof gloves (such as rubber, neoprene or PVC); and shoes plus socks. For cleanup or spills or other large exposures, wear full body cover barrier suit, such as a PVC suit. Follow manufacturer's instructions for cleaning/maintaining personal protection equipment (PPE). If no such instructions are available, use detergent and hot water. Keep and wash PPE separately from other laundry.

EYE PROTECTION: Safety glasses with side shields should be used whenever hazardous chemicals are being handled. Goggles or full-face shield should be used if there is a potential for dust generation.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Solid

Appearance: Tan granules



For Chemical Emergency, Spill, Leaf, Fire, Exposure, or Accident, Call CHEMTREC Day or Night: 1-800-424-9300 For Medical Emergencies Only, Call: 1-877-325-1840

Voluntary Purchasing Groups, Inc. 230 FM 87

Bonham, Texas 75418

Hi-Yield® Bug Blaster Turf Insect Control Granules

Effective Date: December 12, 2008

Odor: Slight musty odor
Odor Threshold: None established
Boiling Point: Not available
Freezing/Melting Point: Not applicable

Specific Gravity: 1.39 g/mL@20°C Density: 85-89lb/ft3
Vapor Pressure (mm/Hg): 1.81x10-7mm Hg@

25°C (ai)

Vapor Density: Heavier than air Percent Volatile by Vol: Not applicable

Solubility in Water: Not appreciably soluble in

Water

Solubility *Other): The active ingredient is

Soluble in aromatic

Solvents

Partition Coefficient (Log Po/w): >6.0 (Bifenthrin)
PH(5% in water):
Evaporation Rate:
Not available

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY (conditions to avoid): This product is stable under normal storage and use conditions.

INCOMPATIBILITY: Avoid excessive heat and flame.

HAZARDOUS DECOMPOSITION PRODUCTS: This product may emit hazardous fumes of hydrogen chloride, hydrogen fluoride, carbon oxides, and unidentified organic compounds when it is heated excessively or burned. WEAT SELF – CONTAINED BREATHING APPARATUS when these conditions are present.

HAZARDOUS POLYMERIZATION: this produce will not polymerize.

11. TOXICOLOGICAL INFORMATION

SENSITIZATION:

The information listed below is either for this formulation (f) or for the active ingredient (ai).

INGESTION: Oral LD50(rat) >5000 mg/kg (f)
DERMAL: Skin LD50(rabbit) >2000 mg/kg (f)

INHALATION: Inhalation LC50(rat) Not available at this time

IRRITATION: Eye irritation: Non-irritating (f)
Skin irritation: Non-irritating (f)

(rabbit)

Skin sensitization: Sensitizer (ai)

(guinea pig)

TERATOGENICITY: In studies with animals, Bifenthrin did not cause teratogenicity (ai). **MUTAGENICITY**: tests with Bifenthrin have shown an absence of genotoxicity (ai).

CARGINOGENICITY: Bifenthrin has produced an increased incidence of urinary bladder tumors in male mice at the highest dose level tested. This response however was considered equivocal and not evidence of a clear compound related effect. EPA has classified Bifenthrin as a class C carcinogen, a possible human carcinogen (ai). Respirable crystalline silica is listed as being carcinogenic by both IARC and NTP. It is present at less than 0.01% in the product.

REPRODUCTIVE TOXICITY: In studies with animals, Bifenthrin did not cause reproductive toxicity (ai).



Hi-Yield® Bug Blaster Turf Insect Control Granules

For Chemical Emergency, Spill, Leaf, Fire, Exposure, or Accident, Call CHEMTREC Day or Night: 1-800-424-9300 For Medical Emergencies Only, Call: 1-877-325-1840

Voluntary Purchasing Groups, Inc. 230 FM 87

Bonham, Texas 75418

Effective Date: December 12, 2008

TOXICOLOGICALLY SYNERGISTIC PRODUCTS: No information is available (ai).

12. ECOLOGICAL INFORMATION

General: This pesticide is highly toxic to fish and aquatic organisms. Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. Do not apply directly to water, to area where surface water is present, or to inter-tidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water. Do not apply directly adjacent to potable water supplies.

13. DISPOSAL CONSIDERATIONS

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

14. TRANSPORTATION INFORMATION

This product is not regulated when shipped by highway, railroad or air in packages >400 kg. When this product is shipped in bulk or is shipped by water (non-bulk or bulk), it is regulated according to the date lasted below:

DOT Class 9

UN Number UN3077 IMDG Class (sea) 9 IATA Class 9

Marine Pollutant Yes (Bifenthrin=Severe

Marine pollutant)

Packing Group III

Hazard Label (s)
Proper Shipping Name (s)
Environmentally Hazardous
Environmentally hazardous
Substances, solid,n.o.s.

(Bifenthrin 0.2%

Reportable Quantity: None

US Surface Freight Class Insecticides, NOI, Poison other than Poison, NMFC Item 102120

PACKAGING

General Description: 10 lb, 25 lb and 50 lb bags

15. REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS: This product is registered under EPA/FIFRA Regulations. It is a violation of Federal Law to use this produce in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPT/TSCA.



Hi-Yield® Bug Blaster Turf Insect Control Granules For Chemical Emergency, Spill, Leaf, Fire, Exposure, or Accident, Call CHEMTREC Day or Night: 1-800-424-9300 For Medical Emergencies Only, Call: 1-877-325-1840

Voluntary Purchasing Groups, Inc.

230 FM 87

Bonham, Texas 75418

Effective Date: December 12, 2008

SARA TITLE III DATE:

Section 311 & 312 Hazard Categories:

Immediate Health Hazard: Yes

Delayed Health Hazard: Yes Fire Hazard: No

Reactive Hazard No Sudden Pressure Release Hazard: No Section 302 Extremely Hazardous Substances: None

Section 313 Toxic Chemicals:

Bifenthrin (CAS 82657-04-3) 7.9%

CERCLA Reportable Quantities (RQ): Not listed.

STATE REGULATIONS:

CALIFORNIA (Proposition 65): This product may contain trace amounts of respirable crystalline silica, known to the State of California to cause cancer.

16. OTHER INFORMATION

DISCLAIMER: This information is provided for the limited guidance to the user. While Voluntary Purchasing Groups, Inc. believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for the users' purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

ABBREVIATIONS:

EPA FIFRA

Ai active ingredient

ACGIH American Conference of Governmental Industrial Hygienists

BEI Biological Exposure Index

CERCLA Comprehensive Environmental Response,

Compensation, and Liability Act Environmental Protection Agency Federal Insecticide, Fungicide, and

Rodenticide Act

IARC International Agency for Research on Cancer

NTP National Toxicology Program

OSHA Occupational Safety and Health Agency

SARA Superfund Amendments and Reauthorization Act

TSCA Toxic Substances Control Act



Hi-Yield® Bug Blaster Turf Insect Control Granules

For Chemical Emergency, Spill, Leaf, Fire, Exposure, or Accident, Call CHEMTREC Day or Night: 1-800-424-9300 For Medical Emergencies Only, Call: 1-877-325-1840

Voluntary Purchasing Groups, Inc. 230 FM 87 Bonham, Texas 75418

Effective Date: December 12, 2008

This is the last page of this MSDS. There should be 6 pages.