LIOUA-TOX® II MSDS

| MANUFACTURER'S ADDRESS: BELL LABORATORIES, INC. 3699 KINSMAN BLVD. MADISON, WI 53704 | | PREPARED B PSM/CAR | RED BY: TELEPHON | | Medical | | 494 |
|--|--|--|--|---------------------------|---|----------------------------------|--------------|
| PRODUCT NAME: LIQUA- | ΓΟΧ [®] II | | | | | | 300 CHEMTREC |
| USE: Anticoagulant Rodentio | BAIT FORM: Formulated Bait Concentrate | | | | EPA REGISTRATION NO: 12455-61 | | |
| | SECTION | I. HAZARI | DOUS | INGRED | IENTS | | |
| INGREDIENT NAME | | | | | WEIGHT | CURRENT TLV | |
| Sodium Diphacinone [2-(Dipheny CAS No. 23710-76-1 | ne-1,3(2H)-dione, Sodium salt] | | | 0.106 % | | N/A | |
| This product cont | | nts subject to the r nent and Reauthor | | | | 3 of the Super | fund |
| | SEC | TION II. PI | HYSIC | CAL DAT | A | | |
| APPEARANCE: Liquid | COLOR: Clear, colorless | | ODOR: None | | | SPECIFIC GRAVITY: 1.003 gm/cc | |
| VAPOR DENSITY: N/A | MELTING POINT: N/A | | WATER REACTIVITY: None | | EVAPORATION RATE: Equal to water | | |
| VAPOR PRESSURE: N/A | BOILING POIN N/A | SOLUBILITY: Soluble in water | | BULK DENSITY: N/A | | | |
| \$ | SECTION 1 | III. FIRE A | ND EX | PLOSIO | N DAT | A | |
| FLASH POINT (Method Used): $$\rm N/A$$ | FLAMMABLE LIMIT: Upper Limit: N/A Lower Limit: N/A | | | AUTOIGNITION TEMP: N/A | | | |
| EXTINGUISHING MEDIA: Extinguish with water, foam or ine | rt gas | | | | | | |
| SPECIAL FIREFIGHTING PRO Firefighters should be equipped wi | | thing and self-con | tained br | eathing appara | atus. | | |
| UNUSUAL FIRE OR EXPLOSIONOR | ON HAZARDS | : | | | | | |
| S | SECTION 1 | IV. REACT | VITY | HAZAR | D DAT | A | |
| STABILITY: CONDITIONS TO AVOID: Stable None | | | | | | | |
| POLYMERIZATION: Will not occur | CONDITIONS TO AVOID: None | | | | | | |
| INCOMPATIBILITY (MATERIALS TO AVOID): Strongly alkaline materials | | | HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon | | | | |
| | SEC | TION V. TO | OXICI | TY DAT | A | | |
| LD50, ORAL (INGESTION): LD5 >5000 mg/kg (rats) | | 0, DERMAL (SKIN CONTACT): > 2000 mg/kg (rats) | | | LC50, INHALATION: N/A | | |
| EYE IRRITATION: None (rabbits) | SKIN | N IRRITATION: None (rabbits) | | | DERMAL SENSITIZATION: Not Considered a Sensitizer | | |

Date Created: 16 April 2004 Page 1 of 2 Trade Name: Liqua-Tox II Supplier: Bell Laboratories, Inc.

LIQUA-TOX® II MSDS

SECTION VI. HEALTH HAZARDS

PRIMARY ROUTE OF ENTRY: SIGNS & SYMPTOMS OF EXPOSURE:

Nausea, vomiting, loss of appetite, extreme thirst, lethargy, diarrhea, bleeding Ingestion, Skin Absorption

EMERGENCY FIRST AID PROCEDURES:

Eyes: Flush with cool water for at least 15 minutes. If irritation develops, obtain medical assistance.

Skin: Remove contaminated clothing and launder before re-use. Wash with soap and water.

Ingestion: Call physician or emergency phone number immediately. Do not give anything by mouth or induce vomiting unless instructed

by physician. Inhalation: None.

NOTE TO PHYSICIAN: If ingested, administer Vitamin K_1 intramuscularly or orally as indicated by bishydroxycoumarin overdoses.

Repeat as necessary as based upon monitoring of prothrombin times.

SECTION VII. CONTROL AND PROTECTIVE MEASURES

RESPIRATOR TYPE:

Not required

EYE PROTECTION: GLOVES (Recommended): **VENTILATION:**

> Rubber Gloves Not required Not required

OTHER PROTECTIVE MEASURES:

Not required

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) RATINGS:

FIRE: 0 (Will not burn) **REACTIVITY**: 0 (Stable) SPECIFIC HAZARD: None **HEALTH**: 1 (Caution)

HAZARDOUS MATERIAL INFORMATION (HMIS) RATINGS:

HEALTH: 2 (Moderate) FLAMMABILITY: 0 (Minimal) REACTIVITY: 0 (Minimal) PROTECTIVE EQUIPMENT: B

SECTION VIII. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN THE EVENT MATERIAL IS RELEASED OR SPILLED:

Soak up spilled material on an inert absorbent. Sweep up contaminated material, place in properly labeled container for disposal. Clean area with soap and water.

WASTE DISPOSAL METHOD:

Wastes resulting from use may be disposed of on-site or at an approved waste disposal facility. Dispose of all wastes in accordance with all Federal, state and local regulations.

SECTION IX. SPECIAL PRECAUTIONS AND STORAGE DATA

AVERAGE SHELF LIFE: STORAGE TEMPERATURE:

> Room temperature Bait is stable for a minimum of 1 year when stored at room temperature

SPECIAL SENSITIVITY (HEAT, LIGHT, MOISTURE):

Avoid exposure to light and extreme humidity.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Store in a cool, dry place inaccessible to children, pets and wildlife. Keep container tightly closed when not in use. Avoid contamination of lakes, streams and ponds by use, storage or disposal. Wash thoroughly with soap and water after handling.

SECTION X. SHIPPING DATA

DOT HAZARD CLASSIFICATION: DOT SHIPPING NAME: None required Non-hazardous **DOT LABELS REQUIRED:** FREIGHT CLASSIFICATION:

None required

LTL Class 60

WARRANTY: The information provided in this Material Safety Data Sheet has been obtained from sources believed to be reliable. Bell Laboratories, Inc. provides no warranties, either expressed or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your consideration and investigation. The user is responsible to ensure that they have all current data relevant to their particular use.

Date Created: 16 April 2004 Trade Name: Liqua-Tox II Supplier: Bell Laboratories, Inc. Page 2 of 2