



Material Safety Data Sheet (MSDS)
PiGNX® Caulking Gel

OSHA/ANSI 2003 Compliant

NFGA Rating: Health: 1 Flammability: 1 Instability: 0

HMIS Rating: Health: 1 Flammability: 1 Physical Hazard: 0

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: PiGNX® Caulking Gel

Product Number: A2006 & A2007

Intended Use: Pigeon Repellant - Not an Avian Toxicant

Manufacturer/Supplier: PiGNX® Company
POB 6310
Whittier, CA 90609-6310
(866) 744-6988

2. HAZARDS IDENTIFICATION

Physical Form: Semi-solid

Color: Water White

Health: Does not pose a health risk

Physical Hazards: None known

Environmental: Does not pose any environmental risks

OSHA Hazardous Substance: Not classified as hazardous

Primary Route of Entry: Ingestion, skin, inhalation, eyes

3. COMPOSITION/INFORMATION ON INGREDIENTS

NON-HAZARDOUS COMPONENTS

<u>Components</u>	<u>CAS#</u>
White Oil	8042-47-5
Fumed Silica	Proprietary
Ethanol	64-17-5
	67-63-0
Propylene Co-polymer	9010-79-1
Denatonium Capsaicinate	404-86-4

4. FIRST AID MEASURES

Eyes: Immediately flush the eyes with water for 15 minutes until Material is removed from eyes. Seek medical attention if Irritation persists.

Skin: If clothing is contaminated, remove and launder before Reuse. Wash off immediately with soap and plenty of Water. Get medical attention if irritation occurs.

Inhalation: Remove to fresh air. If breathing is labored, administer Oxygen.

Ingestion: Do not induce vomiting. Drink plenty of water. Seek medical attention if necessary.

5. FIRE FIGHTING MEASURES

FLASH POINT: >200 C (COC) >392 F

Fire Fighting Measures: Standard procedure for chemical fires.

Suitable Extinguishing Media: Carbon dioxide, dry chemical or foam

Fire Fighting Equipment: Wear self-contained breathing apparatus and protective Suit.

Hazardous Combustion Products: Burning may produce toxic combustion products.

6. ACCIDENTAL RELEASE MEASURES

Cleanup Instructions: Absorb spill with inert material (dry sand or earth). Wear Suitable protective equipment.

7. HANDLING AND STORAGE

Handling: As with all industrial products, use good practices when handling. Avoid eye, skin and clothing contact. Do not inhale, taste or swallow. Use with adequate ventilation.

Storage: Keep containers tightly closed and in dry conditions.

8. EXPOSURE CONTROLS - PERSONAL PROTECTION

Exposure Limits: TLV = 5 mg/m³ as oil mist

Ventilation: Use in areas of adequate ventilation

Gloves: Use nitrile or neoprene gloves

Eye Protection: Safety glasses, goggles or face shield are recommended

Respiratory: Self-contained breathing apparatus is recommended for confined space entry.

Clothing: Long sleeve shirt and apron when potential for skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Water White	pH:	n/d
Boiling Point:	>300 C	Solubility:	Negligible
Evaporation Point:	less than ether	Specific Gravity:	0.875
Flammability:	Non-flammable	Vapor Density:	Heavier than air
Flash Point:	>200 C	Vapor Pressure:	<0.01 mm Hg @ 20 C
Odor:	None	VOC%	Nil

10. STABILITY AND REACTIVITY

- Stability:** Material is normally stable at ambient temperature and pressure.
- Conditions to avoid:** Oxidizing agents. Do not heat above the flash point.
- Polymerization:** Will not occur.
- Decomposition:** Carbon dioxide, carbon monoxide

11. TOXICOLOGICAL INFORMATION

- Oral Toxicity:** Swallowing material may cause irritation of the gastro-Intestinal lining, nausea, vomiting, diarrhea, and Abdominal pain.
- Eye Irritation:** May cause some eye irritation.
- Skin Irritation:** May cause some skin irritation.
- Carcinogenic:** This material has not been identified as a carcinogen by NTP, IARC, or OSHA.

12. ECOLOGICAL INFORMATION

This material is not expected to have adverse affects on marine and plant life.

13. DISPOSAL CONSIDERATIONS

Disposal: Consult federal, state and local regulations regarding disposal methods.

14. TRANSPORTATION INFORMATION

See 49 CFR part 171.8 to 178.510

DOT Shipping Name:	Oil, n.o.s.
DOT Hazard Class:	Not Regulated
UN/NA Number:	N/A
Guide Number:	N/A
IMDG Code:	N/A

15. REGULATORY INFORMATION

TSCA: All components are listed on US TSCA Inventory.
SARA 311: Not listed
SARA 312: Not listed
SARA 313: Not listed
Cal Prop 65: Not listed
RCRA: Not listed
CERCLA: Not listed

16. OTHER INFORMATION

This information has been compiled from sources considered to be dependable and is accurate to the best of PiGNX® Company's knowledge. PiGNX® assumes no responsibility for injury to recipient or third person or for any damage to any property and recipient assumes all such risks.

17. EPA Registration

PiGNX® Caulking Gel has been unconditionally approved by the U.S. Environmental Protection Agency - BioPesticide and Pollution Prevention Division as a bio-pesticide pigeon repellent - it is not an avian toxicant.

EPA Manufacturers Number: 84418
EPA Product Registration Number: 84418-1

18. Patent Pending

PiGNX® Caulking Gel is Patent Pending