

TALON® ULTRABLOK

Date: 9/17/2014
 Replaces: N/A

1. PRODUCT IDENTIFICATION

Product identifier on label: **TALON® ULTRABLOK**
 Product No.: A12720L
 Use: Rodenticide
 Manufacturer: Syngenta Crop Protection, LLC
 Post Office Box 18300
 Greensboro NC 27419
 Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications: Not Applicable
 Signal Word (OSHA): Not Applicable
 Hazard Statements: Not Applicable

Hazard Symbols:

Precautionary Statements: Not Applicable

Other Hazard Statements: May form combustible dust concentrations in air.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Particles, Not Otherwise Specified (PNOS)	Particles, Not Otherwise Specified (PNOS)	Not Applicable	Trade Secret
Sucrose	Sucrose	57-50-1	Trade Secret
Paraffin Wax	Paraffin Wax	8002-74-2	Trade Secret
Oat Flour	Oat Flour	Not Applicable	Trade Secret
Other ingredients	Other ingredients	Trade Secret	99.995%
3-[3-(4'-bromo[1,1'-biphenyl]-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one	Brodifacoum Technical	56073-10-0	0.005%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

TALON® ULTRABLOK

Date: 9/17/2014

Replaces: N/A

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Not Applicable

Indication of immediate medical attention and special treatment needed:

This product contains anticoagulants with an effect similar to warfarin in that they act by interfering with the synthesis of prothrombin.

Antidote must be administered under medical supervision. Initially, antidote should be given by injection (10-20 mg, or 0.25 mg/kg for children, by slow intravenous infusion at a rate not exceeding 1 mg/minute. In severe cases the use of fresh frozen plasma may be required). Maintenance treatment is given orally (40 mg/day in divided doses for adults; up to 20 mg/day in divided doses for children). The prothrombin time and the hemoglobin should be monitored. Patients should be kept under medical supervision until the prothrombin time has been normal for 3 consecutive days. Oral treatment may need to be continued for several months (20 mg/day in divided doses for adults, and up to 20 mg/day in divided doses for children). (For animal cases the dose is 2-5 mg/kg).

Further information is available from the Syngenta emergency number provided in this document.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

See also Sec. 7.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Avoid dust formation.

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and

TALON® ULTRABLOK

Date: 9/17/2014

Replaces: N/A

drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Sweep up material and place in a compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

This material is capable of forming flammable dust clouds in air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

This material can become readily charged in most operations.

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Not Applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Particles, Not Otherwise Specified (PNOS)	5 mg/m ³ (respirable); 15 mg/m ³ (total)	3 mg/m ³ (respirable); 10 mg/m ³ (total)	Not Established	Not Applicable
Sucrose	15 mg/m ³ TWA (total); 5 mg/m ³ (respirable)	10 mg/m ³ TWA	10 mg/m ³ TWA (total); 5 mg/m ³ (respirable)	NIOSH
Paraffin Wax	Not Established	2 mg/m ³ TWA (fume)	2 mg/m ³ TWA (fume)	NIOSH
Oat Flour	Not Established	Not Established	Not Established	Not Applicable
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Brodifacoum Technical	Not Established	Not Established	0.002 mg/m ³ TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Eye protection is not required for normal handling. Where eye contact is likely, wear tight-fitting chemical goggles.

TALON® ULTRABLOK

Date: 9/17/2014

Replaces: N/A

Skin Contact:

Gloves are not required for normal handling. Where heavy contact is likely, wear chemical resistant (such as nitrile or butyl) gloves.

Inhalation:

Respiratory protection is not required for normal handling. In the event of an unusual dust exposure, use engineering controls or a NIOSH-certified particulate respirator (N, P, R or HE filter) to keep exposure below the Occupational Exposure Limit.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Solid

Odor: Not Available

Odor Threshold: Not Available

pH: Not Available

Melting point/freezing point: Not Available

Initial boiling point and boiling range: Not Available

Flash Point (Test Method): Not Available

Flammable Limits (% in Air):

Flammability: Not Available

Vapor Pressure: Brodifacoum Technical 6×10^{-6} mmHg @ 68°F (20°C)

Vapor Density: Not Available

Relative Density: Not Available

Solubility (ies): Brodifacoum Technical Insoluble

Partition coefficient: n-octanol/water:

Autoignition Temperature: Not Available

Decomposition Temperature: Not Available

Viscosity: Not Available

Other:

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: Not Available

Incompatible materials: None known.

Hazardous Decomposition Products: Not Available

TALON® ULTRABLOK

Date: 9/17/2014

Replaces: N/A

11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Not Applicable

Delayed, immediate and chronic effects of exposure: Not Applicable

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Rat) :	Not Available
Dermal:	Dermal (LD50 Rat) :	Not Available
Inhalation:	Inhalation (LC50 Rat) :	Not Available
Eye Contact:		Not Available
Skin Contact:		Not Available
Skin Sensitization:		Not Available

Reproductive/Developmental Effects

Brodifacoum Technical: Not teratogenic, embryotoxic or fetotoxic in rats or rabbits at doses up to 0.02 mg/kg/day - the dose causing excessive maternal toxicity.
Non-genotoxic in a range of assays.

Chronic/Subchronic Toxicity Studies

Brodifacoum Technical: The biological half-life for brodifacoum in body tissue in rats is > 100 days. Adverse clinical effects can develop from body accumulation. Prolonged prothrombin time, depression, pallor, subcutaneous hemorrhage, bleeding of nose or gums, gastrointestinal hemorrhage, cerebral hemorrhage, shock and death can develop following exposures.
No neurotox studies have been conducted.

Carcinogenicity

Brodifacoum Technical: Unlikely to be carcinogenic.

Chemical Name	NTP/IARC/OSHA Carcinogen
Particles, Not Otherwise Specified (PNOS)	No
Sucrose	No
Paraffin Wax	No
Oat Flour	No
Other ingredients	No
3-[3-(4'-bromo[1,1'-biphenyl]-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one	No

Other Toxicity Information

Effects of overexposure are those of anticoagulant overdose, i.e., reduced blood clotting ability with spontaneous bleeding in various organs. Body accumulation can result from repeated exposures since the half-life of brodifacoum is > 100 days. Individuals with blood clotting disorders may be more susceptible to overexposure effects.

Toxicity of Other Components

TALON® ULTRABLOK

Date: 9/17/2014
 Replaces: N/A

Oat Flour

In normal use this product does not present a serious health risk and ingestion has no adverse effects.

Other ingredients

Not Applicable

Paraffin Wax

Inhalation may cause eye, skin and respiratory tract irritation.

Particles, Not Otherwise Specified (PNOS)

The carrier and one or more components are reported by the manufacturers to be nuisance dusts. Prolonged breathing of excessive dust may affect lung function.

Sucrose

Dust may cause mechanical eye irritation. May cause skin irritation. Excessive inhalation may cause minor respiratory irritation. Low hazard for usual industrial handling.

Target Organs

Active Ingredients

Brodifacoum Technical: Blood

Inert Ingredients

Oat Flour: Lung
 Other ingredients: Not Applicable
 Paraffin Wax: Eye, skin, respiratory tract
 Particles, Not Otherwise Specified (PNOS) : Lung
 Sucrose: Eye, skin, respiratory tract

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Brodifacoum Technical:

Fish (Rainbow Trout) 96-hour LC50 0.02 ppm
 Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 0.98 ppm
 Bird (Mallard Duck) 21-day LD50 0.26 mg/kg

Environmental Fate

Brodifacoum Technical:

The information presented here is for the active ingredient, brodifacoum.
 Not persistent in soil. Stable in water. Immobile in soil. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

TALON® ULTRABLOK

Date: 9/17/2014

Replaces: N/A

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA
Not regulated

Comments

Water Transport - International
Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Brodifacoum), Marine Pollutant
Hazard Class: Class 9
Identification Number: UN3077
Packing Group: PG III

Air Transport

Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Brodifacoum)
Hazard Class: Class 9
Identification Number: UN3077
Packing Group: PG III

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing.

EPA Registration Number(s):

100-1055

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: None

CERCLA/SARA 304 Reportable Quantity (RQ):

Not Applicable

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

TSCA R & D Exempt

TALON® ULTRABLOK

Date: 9/17/2014
Replaces: N/A

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 1
Flammability: 1
Instability: 0

HMIS Hazard Ratings

Health: 1
Flammability: 1
Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: D

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 9/17/2014

Revision Date:

Replaces:

Section(s) Revised: 1-16

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.