



ferti·lome®



Broad Spectrum Insecticide

Ready To Spray

• For Use on Lawns, Ornamentals, Listed Garden Vegetables & Fruit Trees

• Covers Up To 2,667 Sq. Ft.

For Residential Use Only.

**KEEP OUT OF REACH
OF CHILDREN**

CAUTION

SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

ACTIVE INGREDIENT:

Bifenthrin* 0.3%

OTHER INGREDIENTS: 99.7%

*Cis isomers 97% minimum, trans isomers
3% maximum

Net Contents One Quart (32 FL. OZS.)

ferti•lome® Broad Spectrum Insecticide Ready-To-Spray

xxM-1-0512 H

FIRST AID

If Swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If Inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.
If On Skin Or Clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If In Eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

In the event of a medical or chemical emergency, contact  North America 1-800-255-3924 or Worldwide Int'l. + 01- 813-248-0585

Manufactured For:



230 FM 87

BONHAM, TEXAS 75418

EPA Reg. No. 53883-228-7401

EPA Est. No. 7401-TX-1

Visit Us At: www.fertilome.com
(RV033110)



 PEEL FROM CORNER OF BOOKLET



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, and surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Care should be used when spraying to avoid fish and reptile pets in/around ornamental ponds. This product is highly toxic to bees exposed to direct treatment or residues on blooming plants. Do not apply this product or allow it to drift to blooming plants if bees are visiting the treatment areas.

PHYSICAL OR CHEMICAL HAZARDS

Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Food utensils such as spoons and measuring cups must not be used for food purposes after use with pesticides.

Do not allow children and pets into the treated area until spray has dried.



FOR OUTDOOR USE GENERAL INFORMATION

ferti-lome® Broad Spectrum Insecticide Ready-To-Spray is an insecticide that kills insect/pests that damage roses, flowers, shrubs, fruit trees, vegetable gardens and lawns. This product can also be sprayed around foundations, to keep insect/pests out of the home. **ferti-lome® Broad Spectrum Insecticide Ready-To-Spray** kills listed insect/pests such as Ants (including carpenter ant, and argentine ant), Aphids, Caterpillars, Chinch bugs, Fleas, Mole crickets, Mosquitoes, Ticks, Whiteflies and other listed lawn & garden insect/pests.

FOR USE ON:

- Lawns
- Trees, roses, shrubs, flowers and other ornamentals
- Listed garden vegetable and fruit trees
- Around house foundations, porches, patios and stored lumber
- In and around outdoor residential pet areas: dog houses and fenced dog runs

SHAKE WELL BEFORE USING

LAWNS

ferti-lome® Broad Spectrum Insecticide Ready-To-Spray kills Ants (including carpenter and Argentine), Armyworms, Black Turf Atae-nius, Chinch bugs, Cockroaches, Crickets, Cutworms, Earwigs, Fleas, Greenbugs (Aphids), Grasshoppers, Lawn moths (Sod webworms), Millipedes, Mole crickets, Mosquitoes, Non-poisonous spiders, Sowbugs, Spittlebugs, Ticks (Brown dog and Deer ticks which may transmit Lyme Disease), Weevils (including billbugs and annual blue-grass) on Bentgrass, Bermuda grass, Bluegrass Fescue, Irish Moss, Merion and St. Augustine lawns.



APPLICATION INSTRUCTIONS

Apply when insects first appear or when lawn damage is first noticed. Repeat applications should be made only as directed to maintain control. Wait 4 to 6 weeks between applications.

1. Thoroughly wet down grass a few hours before application. Apply when lawn is no taller than 3 inches.
2. Measure the area to be treated. Calculate the square footage by multiplying length times width.
3. Spray evenly over the measured area, treating the entire lawn.
4. For best control of surface insects, delay additional watering or mowing for 24 hours after application.

Note:

- For control of carpenter ants, spray 1.5 fl. oz. per gallon evenly over 65 sq. ft.
- Mosquitoes coming to rest on treated areas will be killed for varying periods of time after application, depending on exposure of treated areas to weathering conditions.

TREES, ROSES, SHRUBS, FLOWERS, and OTHER ORNAMENTALS

ferti-lome® Broad Spectrum Insecticide Ready-To-Spray kills Aphids, Armyworms, Bagworms, Black vine weevil, Budworms, Cicadas, Citrus black flies, Elm leaf beetles, Elm spanworms, Fall cankerworms, Fall webworms, Flea beetle, Gypsy moth, Hornets, Inchworms, Lacebug, Leafhopper, Leafminers, Leafrollers, Mealybugs, Mites (clover, spruce, spider), Needle scales, Oakworms, Pine beetles, Pine moths, Pine needleminers, Plantbugs, Sawfly, Spittlebugs, and Wasps on Ageratum, Astor, Arizona Cypress, Azalea, Begonia, Birch, Coleus, Common Ninebark and Snowberry, Conifers, Elm, English Ivy, Euonymus, Exacum, Weeping fig, Fir, Gladiolus, Gold Bells, Honeysuckle, Hypoestes, Ivy, Lilac, Marigold, Mockorange, Nannyberry, Oak, Orchid, Palm, Pansy, Pea Shrub, Petunia, Philodendron, Pine, Poinsettia, Rhododendron, Rose, Snapdragon, Taxus, Tulip Poplar and Zinnia.



APPLICATION INSTRUCTIONS

Apply when insects first appear. Spray to thoroughly cover upper and lower leaf surfaces, stems, and branches. Penetrate dense foliage. When treated potted plants also lightly spray the soil surface. Spray when air is calm to avoid drift. Application should be made at temperatures between 50°F and 75°F. Spray in the early morning or late afternoon when it is cooler, if temperatures will exceed 85°F. Apply as needed, waiting 7 to 14 days between each application.

Note:

- Hard to control insects/pests may require 2 to 3 applications.
- Mosquitoes coming to rest on treated areas will be killed for varying periods of time after application, depending on exposure of treated areas to weathering conditions.
- Attach sprayer to the hose, turn on water, and spray.

HOME VEGETABLE GARDENS, MELONS and FRUIT TREES

ferti-lome® Broad Spectrum Insecticide Ready-To-Spray kills Aphids, Armyworms, Bagworms, Cutworms, Fall webworms, Flea beetle, Lacebug, Leafhopper, Mites (clover and spruce), and Plant-bugs on listed vegetables, melons and fruit trees.

APPLICATION INSTRUCTIONS

Apply when insects/pests first appear as a thorough spray, wetting leaves and branches, but do not let runoff occur. Re-apply as necessary to maintain control waiting at least 7 days between each application. Be sure to follow important limitations for the specific edible plant you are spraying, including the amount of spray which can be applied, the interval between sprays, and the days to wait before harvest.

VEGETABLES AND FRUITS*	DAYS TO WAIT TO HARVEST
Tomatoes, Strawberries, Citrus, Corn (Sweet)	1
Caneberries, Raspberries, Succulent peas and beans, Cucurbits (cucumber, gourds, muskmelon, pumpkin, squash, watermelon)	3
Artichoke	5
Brassicas (broccoli, Chinese broccoli, cabbage, cauliflower, kohlrabi, Chinese mustard), Eggplant, Head lettuce, Peppers (bell and non-bell), Walnut	7
Pears	14
Pecans	21

*Not registered for use in CA unless accompanied by supplemental labeling.

AROUND HOUSE FOUNDATION, PORCHES, PATIOS, STORED LUMBER

ferti-lome® Broad Spectrum Insecticide Ready-To-Spray kills ants (including carpenter ants, lasius, Argentine), centipedes, crickets, earwigs, millipedes and ticks (American, deer tick, brown dog tick) around house foundations, porches, patios, wood piles and stored lumber.

DO NOT TREAT FIREWOOD

APPLICATION INSTRUCTIONS

To keep insects/pests from entering the house, spray a 2 foot band of soil around the house next to the foundation. Also spray the foundation of the house to a height of 2 feet. Repeat application every 14 days if necessary.



Note:

- To control **carpenter ants** spray 1.5 fl. oz. per gallon evenly over 65 sq. ft.

FLEAS and TICKS
(Including ticks that may transmit Lyme Disease)

ferti-lome® Broad Spectrum Insecticide Ready-To-Spray may be used to treat infested outdoor residential areas around doghouses and fenced dog runs where pests may be present. All bedding and toys must be removed before treatment of the pet area. Old bedding of pets must be removed and replaced with clean bedding. Do not apply when pets are present. Do not allow pets back into the area until spray has completely dried.

Note:

Do not spray animals. To control the source of flea infestation, pets must be treated with a product registered for application to animals.

Ants: Apply directly to ants and ant trails.

HOW TO USE THE READY-TO-SPRAY SYSTEM

Connect

1. Shake well before using.
2. Connect sprayer to hose.
3. Turn on water.

Spray

1. To begin spraying, point nozzle in the direction you want to spray.
2. Bend small plastic tab back and turn knob clockwise to the ON position.
3. Spray evenly to the area to be treated. Refer to the clear view strip on the side of the container to determine the amount of product sprayed.



Finish

1. To stop spraying, turn knob counter clockwise to OFF position.
2. Turn off water.
3. Relieve water pressure by bending plastic tab back and turning knob to ON position until water slows to a drip. Then turn knob back to OFF position.
4. Disconnect sprayer from hose.

STORAGE AND DISPOSAL

Keep from freezing. Keep pesticide in original container. Do not put into food or drink containers. Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in cool, dry area away from children and domestic animals.

Disposal: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. Do not rinse unless required for recycling. If recycling is not available: then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. **If partly filled:** Call your local solid waste agency for disposal instructions. Unless otherwise instructed, place in trash. Never pour unused product down the drain or on the ground.

NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.



WARRANTY

Read the entire Directions for Use and Warranty before using this product. By using this product, user or buyer accepts the following warranty. The directions for use of this product are believed to adequate and must be followed carefully. It is impossible to eliminate all risks associated with the use of this product. Unintended consequences may result because of unknown factors. All such risks shall be assumed by the user or buyer.

Voluntary Purchasing Groups, Inc. (VPG) is committed to providing high quality products. To the extent consistent with applicable law, VPG makes no warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. To the extent consistent with applicable law, VPG, the manufacturer, or the Seller shall not be liable for indirect, special, incidental or consequential damages. To the extent consistent with applicable law, the exclusive remedy of the user or buyer shall not exceed the purchase price paid.

This page left blank intentionally.

This page left blank intentionally.

This page left blank intentionally.

Manufactured By:



230 FM 87

Bonham, Texas 75418

EPA Reg No. 53883-228-7401

EPA Est. No. 7401-TX-01

Visit Us At: www.ferti-lome.com

(RV033110)



Get the free mobile app at
<http://gettag.mobi>

