KILLS HOUSE MICE

51PT

T1 MOUSE™

CAN BE USED HORIZONTALLY OR VERTICALLY

HORIZONTAL

VERTICAL

Bell LABORATORIES, INC.

4 DISPOSABLE BAIT STATIONS

PATENT PENDING

NET WT:

4 oz (112 g)

1 oz x 4 Bait Stations

Bell LABORATORIES, INC.

T1 MOUSE™

This Bait Station is Resistant to Weather and to Tampering by Children and Dogs. For Use Indoors and Outdoors.

CAUTION

See back panel for First Aid and additional precautionary statements.

EPA REG. NO. 12455-121
EPA EST. NO. 12455-WI-1

ACTIVE INGREDIENT:
Bromethalin (CAS #63333-35-7): 0.01%
OTHER INGREDIENTS*: 99.99%
*Contains Denatonium Benzoate TOTAL 100.00%

T1 MOUSE™

SEE-THRU LID FOR EASY BAIT MONITORING



DISPOSABLE

Bell LABORATORIES, INC.

0 30835 40210 6

SPECIMEN LABEL

T1 MOUSE™

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests and application methods described on this label.

USE RESTRICTIONS:
This bait station may be used in and around (within 50 feet of) buildings accessible to children and pets, consistent with all use restrictions and other requirements indicated on this label.

For control only of house mice. T1 MOUSE bait station must be used in and around buildings consistent with all use restrictions and other requirements indicated on this label. Do not place this bait station in any area where there is a possibility of contaminating food or surfaces that come into direct contact with food.

SELECTION OF TREATMENT AREAS: Determine areas where house mice will most likely find and consume the bait. Generally, these areas are beside burrows, along walls, by gnawed openings, in corners and concealed places.

APPLICATION DIRECTIONS:
Place the bait station at highest point of activity beside burrows, along a wall or in corner where mice or their signs have been seen. If additional units are purchased, place bait at 8 to 12 feet intervals. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse activity cease in infested areas. Replace bait station when bait is consumed or contaminated.

Follow-up: While wearing gloves, collect and dispose of emptied bait stations and all dead animals. To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals, and pets. Bait block contents harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin or clothing. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

USER SAFETY REQUIREMENTS: As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet.

Manufactured by:
Bell LABORATORIES, INC.
3699 Kinsman Blvd.
Madison, WI 53704 U.S.A.
www.belllabs.com

FIRST AID
HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE

IF SWALLOWED:
- Call a poison control center, doctor, or 1-877-854-2494, or 1-800-858-7378** immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

IF ON SKIN:
- Wash with plenty of soap and water.

** Also call this number for information on health concerns and pesticide incidents.

TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian at once.

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish, birds and other wildlife. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply this product directly to water.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER HANDLING: This is a nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partially filled:** Place in trash or call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. 060611/03-11

ELEMENT LAB