

SAFETY DATA SHEET (GHS)



Date Issued : 3/6/2014
 MSDS No : RIPTIDE®
 Date-Revised : 3/6/2014
 Revision No : 1

RIPTIDE® Waterbased Pyrethrin ULV

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: RIPTIDE® Waterbased Pyrethrin ULV
PRODUCT DESCRIPTION: An Emulsifiable Insecticide Concentrate.
PRODUCT CODE: 7446, EPA REG. NO. : 1021-1785
ACTIVE INGREDIENT(S): Pyrethrins; Piperonyl Butoxide

MANUFACTURER

McLaughlin Gormley King Company
 8810 10th Avenue North
 Minneapolis, MN 55427

Emergency Contact: SafetyCall®

E-Mail: mgk-sds@mgk.com

Emergency Phone: 1(888) 740-8712

Alternate Emergency Phone: 1(952) 852-9509

Service Number: 1(800) 645-6466

24 HR. EMERGENCY TELEPHONE NUMBERS

FOR TRANSPORTATION:

CHEMTREC® U.S. and CANADA:1(800) 424-9300

CHEMTREC® All Other Areas:1(703) 527-3887

COMMENTS: MGK® Hours of operation are 8:00 am to 4:30 pm CST, 14:00 to 22:30 GMT.

For MEDICAL EMERGENCIES or PESTICIDE INCIDENTS, call 24 hours a day to 1-888-740-8712 or 1-952-852-9509 outside of the U.S.A.

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health	Environmental
Acute Toxicity (Oral), Category 4 Acute Toxicity (Inhalation), Category 4	Aquatic-Acute, Category 1 Aquatic-Chronic, Category 1



GHS LABEL

SAFETY DATA SHEET (GHS)



Date Issued : 3/6/2014
 MSDS No : RIPTIDE®
 Date-Revised : 3/6/2014
 Revision No : 1

RIPTIDE® Waterbased Pyrethrin ULV

 Environment (GHS 09)	 Exclamation mark (GHS07)
WARNING	WARNING
H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.	H302: Harmful if swallowed. H332: Harmful if inhaled.
PRECAUTIONARY STATEMENT(S) Prevention: P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash <u>hands</u> thoroughly after handling. P270: Do not eat, drink, or smoke when using this product. P271: Use only outdoors or in a well-ventilated area. P273: Avoid release to the environment. Response: P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P330: Rinse mouth. P391: Collect spillage. Storage: P403+P233: Store in a well-ventilated place. Keep container tightly closed. Disposal: P501: Dispose of contents/container to an approved waste disposal plant.	

COMMENTS: This material is considered hazardous by the 2012 OSHA Hazard Communication Standard [29 CFR 1910.1200(a)(1)], and the G.H.S.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS	EINECS
Pyrethrins	5	8003-34-7	232-319-8
Piperonyl Butoxide	25	51-03-6	200-076-7

COMMENTS: Ingredients not identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION: If swallowed, IMMEDIATELY call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or a doctor. Never give anything by mouth to an unconscious person.

SAFETY DATA SHEET (GHS)



Date Issued : 3/6/2014
MSDS No : RIPTIDE®
Date-Revised : 3/6/2014
Revision No : 1

RIPTIDE® Waterbased Pyrethrin ULV

INHALATION: Remove affected person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTES TO PHYSICIAN: For skin effects, a highly efficient therapeutic agent for pyrethrin exposure is topical application of tocopherol acetate (Vitamin E).

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: This product is NOT classified as flammable or combustible by OSHA.

EXTINGUISHING MEDIA: Foam, carbon dioxide or dry chemical.

HAZARDOUS COMBUSTION PRODUCTS: Under fire conditions this product may support combustion and may decompose to give off toxic gases such as carbon monoxide, carbon dioxide, and nitrogen oxides.

FIRE FIGHTING PROCEDURES: Treat as an oil fire. Use a full-faced self-contained breathing apparatus along with full protective gear. Keep nearby containers and equipment cool with a water stream.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Stop release, if possible without risk. Dike or contain release, if possible, and if immediate response can prevent further damage or danger. Isolate and control access to the release area. Take actions to reduce vapors. Absorb with appropriate absorbent such as sand, or vermiculite. Clean spill area of residues and absorbent.

LARGE SPILL: Stop release, if possible without risk. Dike or contain release, if possible, and if immediate response can prevent further damage or danger. Isolate and control access to the release area. Take actions to reduce vapors. Collect product into drums, storage tanks, etc., via drains, pumps, etc. Absorb with appropriate absorbent such as sand or vermiculite. Clean spill area of residues and absorbent.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Contains Pyrethrins, which are toxic to fish and other aquatic invertebrates. Contaminated absorbent and wash water should be disposed of according to local, state, and federal regulations.

7. HANDLING AND STORAGE

HANDLING: Mixers, loaders, and other handlers:

Wear a long-sleeved shirt and long pants, shoes and socks.

Wear chemical-resistant gloves such as Barrier Laminate, Neoprene Rubber, Nitrile Rubber, or Viton.

Applicators using hand-held foggers in an enclosed-area must also wear the following additional PPE:

Wear a MSHA/ NIOSH-approved respirator, such as a half-face, full-face, or hood-style NIOSH-approved respirator with a dust/mist filtering cartridge (MSHA/ NIOSH approval number prefix TC-21C), or a canister approved for pesticides (MSHA/ NIOSH approval number prefix TC-14G), or a cartridge or canister with any R, P or HE filter.

Do not contaminate water, food or feedstuffs by storage, handling, or disposal.

READ AND OBSERVE ALL PRECAUTIONS AND INSTRUCTIONS ON THE PRODUCT LABEL.

STORAGE: Store in a cool, dry place. Keep container closed. Always store pesticides in the original container. Store away from food and pet-food.

KEEP OUT OF REACH OF CHILDREN.

SAFETY DATA SHEET (GHS)



Date Issued : 3/6/2014
 MSDS No : RIPTIDE®
 Date-Revised : 3/6/2014
 Revision No : 1

RIPTIDE® Waterbased Pyrethrin ULV

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA PEL		ACGIH TLV		Supplier OEL	
Chemical Name		ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Pyrethrins	TWA		5		5		
Piperonyl Butoxide	TWA	None		None		None	

ENGINEERING CONTROLS: Ventilate treatment area thoroughly before re-entry.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Take prudent precautions to avoid contact with eyes.

SKIN: Wear chemical-resistant gloves such as Barrier Laminate, Neoprene Rubber, Nitrile Rubber, or Viton, and wear protective clothing.

RESPIRATORY: Applicators using hand-held foggers in an enclosed area must wear a half-face, full-face, or hood-style NIOSH-approved respirator with a dust/ mist filtering cartridge (MSHA/ NIOSH approval number prefix TC-21C), or a canister approved for pesticides (MSHA/ NIOSH approval number prefix TC-14G), or a cartridge or canister with any R, P or HE filter.

WORK HYGIENIC PRACTICES: DO NOT SMOKE, EAT, OR DRINK, OR APPLY COSMETICS IN WORK AREA!

Wash promptly if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking, or using the toilet.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Slight sweet-smell.

APPEARANCE: Milky, white liquid.

pH: 3

FLASHPOINT AND METHOD: > 93.3°C (200°F) TAG Closed Cup

VAPOR DENSITY: Heavier than air.

FREEZING POINT: Not Available

SOLUBILITY IN WATER: Partially miscible in water.

SPECIFIC GRAVITY: 1.013 (Water = 1) at 20 °C (68 °F)

VISCOSITY #1: 22 CPS at 22.1 °C (71.8 °F) Brookfield

(VOC): < 4.000 %

10. STABILITY AND REACTIVITY

STABLE: Yes

HAZARDOUS POLYMERIZATION: No

CONDITIONS TO AVOID: Not compatible with strong acids or bases. Not compatible with strong oxidizers.

SAFETY DATA SHEET (GHS)



Date Issued : 3/6/2014
 MSDS No : RIPTIDE®
 Date-Revised : 3/6/2014
 Revision No : 1

RIPTIDE® Waterbased Pyrethrin ULV

11. TOXICOLOGICAL INFORMATION

ACUTE

DERMAL LD₅₀: > 2000 mg/kg

Notes: Albino rabbit.

ORAL LD₅₀: 500-5000 mg/kg

Notes: Albino rat.

INHALATION LC₅₀: > 2.03 mg/L

Notes: Rats exposed for 4 hours to test atmosphere. The Acute Inhalation LC₅₀ of this material places it in EPA Toxic Category IV.

EYE EFFECTS: Irritation cleared within 24 hours.

SKIN EFFECTS: Slight irritation at 72 hours. Primary Irritation Index = 1.4.

SENSITIZATION: Negative; Not considered to be a dermal sensitizer to albino guinea pigs.

GENERAL COMMENTS: Some or all of the toxicity data reported above was bridged from a substantially similar formula.

COMMENTS: None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as being carcinogens.

Carcinogenicity/ Oncogenicity - Slightly elevated incidences of benign tumors of the thyroid and liver were seen in rats following lifetime administration of high doses of Pyrethrins. Further detailed scientific studies into the mode of action responsible for these effects show that:

- 1) Because of biological species differences, the rat thyroid tumors are not relevant to humans.
- 2) The rat liver tumors occur in animals *only* at doses greatly exceeding human exposure levels and that cause cell proliferation (mitogenesis).

Based on these data, the USEPA has classified Pyrethrins as "Not Likely to be Carcinogenic to Humans," at doses that do not cause a mitogenic response in the liver/ cell proliferation. Thus, Pyrethrins can be considered to be non-carcinogenic at exposure levels relevant to human use of Pyrethrins-containing products.

Marginally higher incidences of benign liver tumors in mice were observed following lifetime high dose exposures to PBO. The significance of these observations is questionable and under review. The doses at which tumors were observed for PBO greatly exceeded potential human exposure from labeled uses. Doses at which these effects were observed greatly exceeded anticipated human dietary intake. At anticipated dietary exposure levels, it is highly unlikely that this product will result in carcinogenic effects.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: This product is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

13. DISPOSAL CONSIDERATIONS

SAFETY DATA SHEET (GHS)



Date Issued : 3/6/2014
MSDS No : RIPTIDE®
Date-Revised : 3/6/2014
Revision No : 1

RIPTIDE® Waterbased Pyrethrin ULV

DISPOSAL METHOD: To avoid wastes, use all materials in the containers by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (NOTE: such programs are often run by state or local governments, or by industry).

EMPTY CONTAINER: Non-refillable container. DO NOT reuse or refill this container.

Triple-rinse container (or equivalent) promptly after emptying. Then, offer for recycling if available, or puncture and dispose of container in a sanitary landfill.

Triple-rinse as follows for containers less than < 5 gallons (< 18.9 L) or less: Empty the remaining contents into application equipment or a mix-tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and re-cap. Shake for 10 seconds. Pour rinsate into application equipment or a mix-tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Triple-rinse as follows for containers greater than > 5 gallons (> 18.9 L): Empty the remaining contents into application equipment or a mix-tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix-tank or store rinsate for later use or disposal. Repeat this procedure two more times.

RCRA/EPA WASTE INFORMATION: This product contains the following RCRA/CERCLA Hazardous wastes/substances:

Component, RCRA ID#, CERCLA RQ:

Pyrethrins, N/A, 1 Lb.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: UN3082, Environmentally Hazardous Substance, Liquid, N.O.S. RQ (Pyrethrins)

PRIMARY HAZARD CLASS/DIVISION: 9

UN/NA NUMBER: UN3082

PACKING GROUP: III

REPORTABLE QUANTITY (RQ) UNDER CERCLA: 1 Lb. (Pyrethrins/ Pyrethrum)

OTHER SHIPPING INFORMATION: This material is not regulated as a hazardous material by the DOT in quantities less than < 20 Lbs.

Shipping name for quantities more than > 20 Lbs.: UN3082, Environmentally Hazardous Substance, Liquid, N.O.S., RQ (Pyrethrins), Class 9, Packing Group III

AIR (ICAO/IATA)

SHIPPING NAME: UN3082, Environmentally Hazardous Substance, Liquid, N.O.S. RQ (Pyrethrins)

UN/NA NUMBER: UN3082

PRIMARY HAZARD CLASS/DIVISION: 9

PACKING GROUP: III

NOTE: This material is not regulated as a hazardous material by IATA/ ICAO regulations in quantities less than < 20 Lbs.

Shipping name for quantities more than > 20 Lbs.: UN3082, Environmentally Hazardous Substance, Liquid, N.O.S., RQ (Pyrethrins), Class 9, Packing Group III

SAFETY DATA SHEET (GHS)



Date Issued : 3/6/2014
 MSDS No : RIPTIDE®
 Date-Revised : 3/6/2014
 Revision No : 1

RIPTIDE® Waterbased Pyrethrin ULV

VESSEL (IMO/IMDG)

SHIPPING NAME: Not Available

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

FIRE: No PRESSURE GENERATING: No REACTIVITY: No ACUTE: Yes

313 REPORTABLE INGREDIENTS:

COMPONENT, CAS#, Max %

Piperonyl Butoxide, 000051-03-6, 25.0

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: There are no SARA Title III Section 302 extremely hazardous substances present in this formulation (40 CFR 355).

See Section 13 of this MSDS for the components that are subject to emergency requirements under CERCLA Section 103(a)(40 CFR 302.4).

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: All chemical substances found in this product comply with the Toxic Substances Control Act's inventory reporting requirements.

REGULATIONS

STATE REGULATIONS:

VOLATILE ORGANIC COMPOUNDS (VOC):

This product contains less than 4% VOC's.

FIFRA (FEDERAL INSECTICIDE, FUNGICIDE, AND RODENTICIDE ACT):

NOTE: This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for Safety Data Sheets, and for workplace labels of non-pesticide chemicals. The following is the hazard information as required on the pesticide label:

CAUTION. Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, and clothing.

Personal Protective Equipment (PPE):

Mixers, loaders, and other handlers:

Wear a long-sleeved shirt and long pants, shoes and socks.

Wear chemical-resistant gloves such as Barrier Laminate, Neoprene Rubber, Nitrile Rubber, or Viton.

Applicators using hand-held foggers in an enclosed-area must also wear the following additional PPE:

Wear a MSHA/NIOSH-approved respirator, such as a half-face, full-face, or hood-style NIOSH-approved respirator with a dust/ mist filtering cartridge (MSHA/NIOSH approval number prefix TC-21C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a cartridge or canister with any R, P or HE filter.

SAFETY DATA SHEET (GHS)



Date Issued : 3/6/2014
MSDS No : RIPTIDE®
Date-Revised : 3/6/2014
Revision No : 1

RIPTIDE® Waterbased Pyrethrin ULV

16. OTHER INFORMATION

REVISION SUMMARY: This MSDS replaces the 3/6/2014 MSDS. Revised: **Section 9: pH.**

HMIS RATING

HEALTH	<input type="checkbox"/>	1
FLAMMABILITY	<input type="checkbox"/>	1
PHYSICAL HAZARD	<input type="checkbox"/>	1
PERSONAL PROTECTION	<input type="checkbox"/>	

COMMENTS: The data contained herein are based on information currently available to McLaughlin Gormley King Company and, to the best of our knowledge, are accurate and based on sound expert opinion. Our statements herein, however, are not to be taken as a warranty or representation for which McLaughlin Gormley King Company assumes legal responsibility.

MSDS Prepared by T. Azzivitto