

MATERIAL SAFETY DATA SHEET

WEED IMPEDE® HOSE 'EM®

Page 1 of 4

Issue Date: 09/08

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical Product

WEED IMPEDE® HOSE 'EM®

EPA Reg. No. 54705-11

Common Name: Liquid herbicide.

Chemical Description: Oryzalin: 3,5-Dinitro-*N*⁴,*N*⁴-dipropyl-sulfanilamide.

TSCA/CAS No.: The primary CAS number is 19044-88-3.

Manufactured For

Lawn and Garden Products, Inc.

P. O. Box 35000

Fresno, CA 93745-5000

Emergency Phone Numbers

Emergency Telephone: DAYS: (559) 499-2100 EVES.: (559) 994-9144

CHEMTREC (24-Hour Emergency Number): (800) 424-9300

EPA National Response Center: (800) 424-8802

SECTION 2. HAZARDOUS INGREDIENTS

CHEMICAL	CAS NO.	%	TLV OR PEL	RQ (lbs)
Oryzalin: 3,5-Dinitro- N ⁴ ,N ⁴ -dipropyl-sulfanilamide	19044-88-3	3.0	*N.A.	*N.P.
Inert Ingredients, Total Including: Propylene Glycol	57-55-6	97.0	N.A.	N.P.

* N.A. - Not Available.

* N.P. - Not Pertinent.

SECTION 3. EMERGENCY/HAZARDS OVERVIEW

Bright orange, opaque liquid with slight aromatic odor. May cause eye irritation. Prolonged exposure may cause skin irritation. Water based, will not burn. Product is toxic to fish and aquatic organisms. Not D.O.T. regulated.

HEALTH: 1 REACTIVITY: 0 FLAMMABILITY: 0 ENVIRONMENT: 0
(0 = Insignificant 1 = Slight 2 = Moderate 3 = High 4 = Extreme)

SECTION 4. FIRST AID

Eyes: Flush eyes thoroughly with water for 15 to 20 minutes. Get medical attention if irritation persists.

Skin: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get medical attention if irritation persists.

Ingestion: No emergency medical treatment should be necessary.

Inhalation: Move person to fresh air; if effects occur, consult a physician.

NOTE TO PHYSICIAN: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

SECTION 5.	FIRE AND EXPLOSION HAZARDS
------------	----------------------------

Flash Point:	No ignition up to 200°F.
Test Method:	SCC
LEL Flammable Limits:	Water based product.
UEL Flammable Limits:	Water based product.
Autoignition Temperature:	Water based product.
Flammability Classification:	Noncombustible.
Known Hazardous Products of Combustion:	Not known.
Properties that Initiate/Contribute to Intensity of Fire:	None.
Potential For Dust Explosion:	None.
Reactions that Release Flammable Gases or Vapors:	Not known.
Potential For Release of Flammable Vapors:	None.
Unusual Fire & Explosion Hazards:	This material will not burn until a sufficient amount of water has evaporated. At this point, the material will exhibit the flammability characteristics of propylene glycol and oryzalin. The explosive potential of oryzalin as an airborne dust is rated as severe. The minimum ignition temperature for a dust cloud is 714°F (379°C).
Extinguishing Media:	This product is a water based suspension and will not burn.
Special Firefighting Procedures:	Wear positive pressure, self-contained breathing apparatus and full protective clothing.

SECTION 6.	SPIILLS AND LEAKS
------------	-------------------

Containment:	Prevent product spillage from entering drinking water supplies or streams.
Clean Up:	Collect liquid or absorb onto absorbent material and package for disposal.
Evacuation:	Not necessary.

SECTION 7.	STORAGE AND HANDLING
------------	----------------------

Storage:	Store in original container only in a cool, well-ventilated, dry place at temperatures above 40°F. Do not store near food or feeds. Do not stack pallets more than two (2) high.
Transfer Equipment:	Transfer product using chemical-resistant plastic or stainless steel tanks, pumps, valves, etc.
Work/Hygienic Practices:	Keep out of reach of children. Causes moderate eye irritation. May cause skin allergies to develop. Avoid contact with skin, eyes, or clothing. Wear long-sleeved shirt and pants, chemical-resistant gloves and shoes plus socks when applying this product. Wash with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Keep all persons, children, and pets out of treated area until sprays have dried.

SECTION 8.	PERSONAL PROTECTIVE EQUIPMENT
------------	-------------------------------

Eyes:	Chemical dust/splash goggles or full-face shield to prevent eye contact. As a general rule, do not wear contact lenses when handling.
Skin:	Long-sleeved shirt, long pants, chemical-resistant gloves and shoes plus socks.
Respiratory:	Not normally needed. If use generates an aerosol mist or respiratory irritation, use NIOSH-approved dust/mist respirator (such as 3M #8710).
Ventilation:	Recommended but no TLV established.

SECTION 9. PHYSICAL AND CHEMICAL DATA

Appearance:	Bright orange opaque liquid.
Odor:	Slight aromatic odor.
pH:	5.5 to 7.5
Vapor Pressure:	Approximately 23 mm Hg @ 25°C.
Vapor Density (Air = 1):	1.178 relative to air @ 25°C.
Boiling Point:	212°F (100°C).
Freezing Point:	Not available.
Water Solubility:	2.6 ppm.
Density:	8.51 lbs./gal
Evaporation Rate:	Not determined.
Viscosity:	Not available.
% Volatile:	Not available.
Octanol/Water Partition Coefficient:	Not available.
Saturated Vapor Concentration:	Not available.

SECTION 10. STABILITY AND REACTIVITY

Stability:	Stable.
Conditions To Avoid:	If the water in the mixture evaporates, the resultant mixture should be handled with care. The explosive potential of oryzalin as an airborne dust is rated as severe. The minimum ignition temperature for a dust cloud is 714°F (379°C).
Incompatibility:	None known.
Hazardous Decomposition Products:	Nitrogen oxides and other toxic gases and fumes may be formed if product is involved in a fire.
Hazardous Polymerization:	Not known to occur.

SECTION 11. POTENTIAL HEALTH EFFECTS

<u>Acute Effects:</u>	
<u>Eyes:</u>	May cause slight eye irritation. Corneal injury is unlikely.
<u>Skin:</u>	Prolonged exposure may cause skin irritation. LD ₅₀ (Rabbits) > 5080 mg/kg.
<u>Ingestion:</u>	Single dose oral toxicity is low. No hazards anticipated from swallowing small amounts incidental to normal handling operations. The Oral LD ₅₀ for rats is 5080 mg/kg.
<u>Inhalation:</u>	At room temperature, exposure to vapors are minimal due to physical properties; higher temperatures may generate vapor levels sufficient to cause irritation and other effects. The LC ₅₀ for rats was >6.93 mg/L in 4 hours.
<u>Systemic (Other Target Organ) Effects:</u>	For oryzalin, in animals, effects have been reported on the following organs: bladder, blood, kidney, liver and spleen. Repeated excessive exposure to propylene glycol may cause central nervous system depression (headache, dizziness, drowsiness and incoordination.).
<u>Teteratology:</u>	Oryzalin did not cause birth defects, other fetal effects occurred only at doses toxic to the mother.
<u>Reproductive Effects:</u>	Oryzalin and propylene glycol did not interfere with reproduction in animal studies.

SECTION 12.	ECOLOGICAL INFORMATION
-------------	------------------------

Algal/Lemna Growth Inhibition:	Not known.
Toxicity to Fish and Invertebrates:	Toxic to fish.
Toxicity to Plants:	Not known.
Toxicity in Birds:	Not known.

SECTION 13.	DISPOSAL
-------------	----------

Do not contaminate lakes, streams, ponds, estuaries, oceans or other waters by discharge of waste effluents or equipment washwaters. Dispose of waste effluents in accordance with state and local waste disposal regulations. Also, chemical additions or other alterations of this product may invalidate any disposal information in this MSDS. Therefore, consult local waste regulators for proper disposal.

SECTION 14.	TRANSPORTATION
-------------	----------------

D.O.T.:	Not D.O.T. Regulated.
Other Shipping Description:	Compounds, Tree or Weed Killing (Herbicide), Liquid. NMFC Item 50320, LTL Class 60

SECTION 15.	REGULATORY INFORMATION
-------------	------------------------

CERCLA: None.

SARA TITLE III, Section 313 Toxic Chemicals: Oryzalin (3.0%).

PROPOSITION 65 (CA): ATTENTION: This product contains oryzalin, a chemical known to the State of California to cause cancer.

STATE RIGHT-TO-KNOW:

<u>Chemical Name</u>	<u>CAS No.</u>	<u>LIST</u>
Oryzalin	19044-88-3	NJ2
1,2-Propanediol (Propylene Glycol)	57-55-6	PA1

NJ2 = New Jersey Environmental Hazardous Substance (present at > or = 1.0%)

PA1 = Pennsylvania Hazardous Substance (present at > or = to 1.0%)

SECTION 16.	OTHER
-------------	-------

All information appearing in this document was based on data provided by third party sources and was compiled to comply with the Federal Hazard Communication Standard and the California Hazardous Substances Information and Training Act. The information is believed to be accurate as of the preparation date, but is not warranted as being the final authority in the use of this product. This information does not purport to be legal or medical advice.