

Safety Data Sheet

PT®B 1300 ORTHENE TR

Revision date : 2015/03/24
Version: 4.0

Page: 1/14
(30547839/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

PT®B 1300 ORTHENE TR

Recommended use of the chemical and restriction on use

Recommended use*: insecticide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP (4357)

Registrant:

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis, MO 63122

Other means of identification

Substance number: 519017
EPA Register number: 499-421
Synonyms: Acephate

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Skin Corr./Irrit.	2	Skin corrosion/irritation
Eye Dam./Irrit.	2A	Serious eye damage/eye irritation

Safety Data Sheet

PT®B 1300 ORTHENE TR

Revision date : 2015/03/24
Version: 4.0

Page: 2/14
(30547839/SDS_CPA_US/EN)

Repr.	1B (unborn child)	Reproductive toxicity
STOT SE	3 (irritating to respiratory system)	Specific target organ toxicity — single exposure
STOT RE	1	Specific target organ toxicity — repeated exposure
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	3	Hazardous to the aquatic environment - chronic
Flam. Aerosol	1	Flammable aerosols

Label elements

Pictogram:



Signal Word:
Danger

Hazard Statement:

H222	Extremely flammable aerosol.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H360	May damage the unborn child.
H372	Causes damage to organs (Central nervous system) through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.

Precautionary Statements (Prevention):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P260	Do not breathe dust/gas/mist/vapours.
P201	Obtain special instructions before use.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P202	Do not handle until all safety precautions have been read and understood.
P264	Wash with plenty of water and soap thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.

Precautionary Statements (Response):

Safety Data Sheet

PT®B 1300 ORTHENE TR

Revision date : 2015/03/24
Version: 4.0

Page: 3/14
(30547839/SDS_CPA_US/EN)

P308 + P311	IF exposed or concerned: Call a POISON CENTER or doctor/physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314	Get medical advice/attention if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P362	IF ON SKIN (or hair): Wash with plenty of soap and water.
P332 + P313	If skin irritation occurs: Get medical advice/attention.
P391	Collect spillage.
P337 + P311	If eye irritation persists: Call a POISON CENTER or doctor/physician.
P362 + P364	Take off contaminated clothing and wash before reuse.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of component(s) with unknown hazards regarding the acute toxicity: 12 - 13 % dermal

The following percentage of the mixture consists of component(s) with unknown hazards regarding the acute toxicity: 1 % oral

The following percentage of the mixture consists of component(s) with unknown hazards regarding the acute toxicity: 13 % Inhalation - vapour

The following percentage of the mixture consists of component(s) with unknown hazards regarding the acute toxicity: 13 % Inhalation - mist

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Emergency overview

CAUTION:

EXTREMELY FLAMMABLE.

HARMFUL IF SWALLOWED.

HARMFUL IF ABSORBED THROUGH SKIN.

Causes eye irritation.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly after handling.

Aerosol container contains flammable gas under pressure.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
30560-19-1	12.0 %	Acephate
872-50-4	25.0 - 50.0 %	N-Methylpyrrolidone
60544-40-3	< 0.2 %	Pyrrolidinone, dimethyl-

Safety Data Sheet

PT®B 1300 ORTHENE TR

Revision date : 2015/03/24
Version: 4.0

Page: 4/14
(30547839/SDS_CPA_US/EN)

According to Regulation 1994 OSHA Hazard Communication Standard: 29 CFR Part 1910.1200

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
30560-19-1	12.0 %	acephate
115-10-6	< 50.0 %	dimethyl ether
872-50-4	< 40.0 %	N-Methylpyrrolidone
	< 10.0 %	Proprietary ingredients

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: inhibition of cholinesterase

weakness, muscular spasms, twitching, headache, tightness in the chest, difficulty breathing, shortness of breath, chest discomfort, disturbance of vision, nonreactive pinpoint pupils, salivation, nausea, vomiting, diarrhea, abdominal cramps, urination, perspiration

Hazards: Risk of decrease in cholinesterase activity. If poisoning is probable, treat the patient immediately. Treatment should be given simultaneously with decontamination procedures in severe cases. Proceed concurrently with decontamination using proper protective gear; for example, chemical resistant gloves (neoprene or nitrile) rather than cotton or leather gloves.

Indication of any immediate medical attention and special treatment needed

Note to physician

Antidote:

Administer atropine. Pralidoxime chloride (2-PAM) is antidotal when administered early, and in conjunction with antidote.

Treatment:

Pralidoxime chloride (2-PAM, PROTOPAM chloride) may be effective as an adjunct to atropine. Use according to label directions. Before administering pralidoxime chloride, obtain a blood sample for cholinesterase analysis. Adjusting for age and weight, pralidoxime may be administered as a continuous infusion after a loading dose or using a bolus method. Clear airway and provide oxygen before administering atropine. Tissue oxygenation should be improved as much as possible before administering atropine, so as to minimize the risk of arrhythmia. Give atropine intravenously (IV), or if not immediately possible IV,

Safety Data Sheet

PT®B 1300 ORTHENE TR

Revision date : 2015/03/24
Version: 4.0

Page: 5/14
(30547839/SDS_CPA_US/EN)

through an alternative route such as an endotracheal tube or intramuscularly (IM). Give atropine intramuscularly or intravenously, depending on severity of poisoning. Atropine may be administered through an alternative route such as an endotracheal tube. Avoid opiates, parasympathomimetic agents (e.g. succinylcholine), theophylline, reserpine and or phenothiazines. The dosage for atropine is as follows: 1 to 2 mg/kg initially IV in adults (or 0.05 mg/kg in children under 12 years) then give appropriate doses every 15 minutes until excessive secretions and sweating have been controlled. Use soap (preferably Tincture Green Soap) and water or dilute hypochlorite solution for decontaminating skin. Suction oral secretions and emesis to avoid aspiration. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for at least 72 hours. Allow no further exposure to any cholinesterase inhibitor until cholinesterase regeneration has taken place as determined by blood tests.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
foam, dry powder, carbon dioxide

Special hazards arising from the substance or mixture

Hazards during fire-fighting:
carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, sulfur oxides, phosphorus oxides, nitrogen oxides, mercaptans, toxic gases/vapours, combustible gases/vapours
The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure. Risk of explosion at excessive temperatures.

carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides

**The substances/groups of substances mentioned can be released in case of fire.
Aerosol container contains flammable gas under pressure.**

Advice for fire-fighters

Protective equipment for fire-fighting:
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Safety Data Sheet

PT®B 1300 ORTHENE TR

Revision date : 2015/03/24
Version: 4.0

Page: 6/14
(30547839/SDS_CPA_US/EN)

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

Storage stability:

May be kept indefinitely if stored properly.

If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

Protect from temperatures above: 130 °F

Explosive at or above indicated temperature.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Safety Data Sheet

PT®B 1300 ORTHENE TR

Revision date : 2015/03/24
Version: 4.0

Page: 7/14
(30547839/SDS_CPA_US/EN)

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	aerosol	
Odour:	characteristic	
Odour threshold:		Not determined due to potential health hazard by inhalation.
Colour:	product specific	
pH value:	approx. 8 - 10	(100 g/l, 20 °C) Information based on the main components.
Melting point:	approx. -23.6 °C	Information applies to the solvent.
Boiling point:	approx. 204.3 °C	Information applies to the solvent.
Flash point:	approx. -42 °C	Information based on the main components.
NFPA 30B flammability:	Level 2 Aerosol	

Safety Data Sheet

PT®B 1300 ORTHENE TR

Revision date : 2015/03/24
Version: 4.0

Page: 8/14
(30547839/SDS_CPA_US/EN)

Lower explosion limit:		As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:		As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Autoignition:	approx. 245 °C	
Vapour pressure:	approx. 0.32 hPa	(20 °C) Information applies to the solvent.
Density:	approx. 1.27 g/cm3	(20 °C)
Vapour density:		not applicable
Partitioning coefficient n-octanol/water (log Pow):		The statements are based on the properties of the individual components.
<i>Information on: acephate</i>		
Partitioning coefficient n-octanol/water (log Pow):	-0.89	

Thermal decomposition:	carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Sulphur dioxide, hydrogen sulphide, methanethiol, Dimethylsulfide	
	Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.	
Viscosity, dynamic:	approx. 0.4 mPa.s	
Solubility in water:		dispersible
Evaporation rate:		not applicable
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:
not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

Safety Data Sheet

PT®B 1300 ORTHENE TR

Revision date : 2015/03/24
Version: 4.0

Page: 9/14
(30547839/SDS_CPA_US/EN)

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Sulphur dioxide, hydrogen sulphide, methanethiol, Dimethylsulfide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

Inhalation

Type of value: LC50

Species: rat

Value: > 6.88 mg/l

Dermal

Type of value: LD50

Species: rabbit

Value: > 2,000 mg/kg

Assessment other acute effects

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

Irritation / corrosion

Assessment of irritating effects: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Skin contact causes irritation. Eye contact causes irritation.

Skin

Safety Data Sheet

PT®B 1300 ORTHENE TR

Revision date : 2015/03/24
Version: 4.0

Page: 10/14
(30547839/SDS_CPA_US/EN)

Species: rabbit
Result: non-irritant

Eye

Species: rabbit
Result: moderately irritating

Sensitization

Assessment of sensitization: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.
There is no evidence of a skin-sensitizing potential.

modified Buehler test
Species: guinea pig
Result: Non-sensitizing.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: acephate

Assessment of repeated dose toxicity: The substance may cause damage to the central nervous system after repeated ingestion.

Information on: N-Methylpyrrolidone

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the testes after repeated inhalation of high doses.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: N-Methylpyrrolidone

Assessment of reproduction toxicity: As shown in animal studies, the product may cause damage to the testes after repeated high exposures that cause other toxic effects.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: N-Methylpyrrolidone

Assessment of teratogenicity: The substance caused malformations/developmental toxicity in laboratory animals.

Safety Data Sheet

PT®B 1300 ORTHENE TR

Revision date : 2015/03/24
Version: 4.0

Page: 11/14
(30547839/SDS_CPA_US/EN)

Other Information

Misuse can be harmful to health.

Symptoms of Exposure

inhibition of cholinesterase
weakness, muscular spasms, twitching, headache, tightness in the chest, difficulty breathing, shortness of breath, chest discomfort, disturbance of vision, nonreactive pinpoint pupils, salivation, nausea, vomiting, diarrhea, abdominal cramps, urination, perspiration

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish

Information on: acephate

LC50 (96 h) > 1000 ppm, Lepomis macrochirus

LC50 (96 h) > 1000 ppm, Ictalurus punctatus, syn: I. robustus

LC50 (96 h) > 1000 ppm, Pimephales promelas

Aquatic invertebrates

Information on: acephate

EC50 (48 h) 67.2 mg/l, Daphnia magna

Aquatic plants

Information on: acephate

EC50 (72 h) > 980 mg/l, algae

Chronic toxicity to aquatic invertebrates

Information on: acephate

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H2O)

Information on: acephate

Safety Data Sheet

PT®B 1300 ORTHENE TR

Revision date : 2015/03/24
Version: 4.0

Page: 12/14
(30547839/SDS_CPA_US/EN)

Readily biodegradable (according to OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment bioaccumulation potential

Information on: acephate

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: acephate

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

14. Transport Information

Land transport

USDOT

Hazard class:	2.1
ID number:	UN 1950
Hazard label:	2.1
Proper shipping name:	AEROSOLS (contains DIMETHYLETHER)

Sea transport

Safety Data Sheet

PT®B 1300 ORTHENE TR

Revision date : 2015/03/24
Version: 4.0

Page: 13/14
(30547839/SDS_CPA_US/EN)

IMDG

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1
Marine pollutant: NO
Proper shipping name: AEROSOLS (contains DIMETHYLETHER)

Air transport

IATA/ICAO

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1
Proper shipping name: AEROSOLS, FLAMMABLE (contains DIMETHYLETHER)

Further information

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US blocked / not listed

Crop Protection TSCA, US released / exempt

EPCRA 313:

<u>CAS Number</u>	<u>Chemical name</u>
30560-19-1	Acephate
872-50-4	N-Methylpyrrolidone

<u>CERCLA RQ</u>	<u>CAS Number</u>	<u>Chemical name</u>
100 LBS	115-10-6	dimethyl ether

State regulations

<u>State RTK</u>	<u>CAS Number</u>	<u>Chemical name</u>
MA, NJ, PA	115-10-6	dimethyl ether
MA, NJ, PA	872-50-4	N-Methylpyrrolidone

CA Prop. 65:

WARNING: THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

NFPA Hazard codes:

Health : 1 Fire: 3 Reactivity: 1 Special:

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace

Safety Data Sheet

PT®B 1300 ORTHENE TR

Revision date : 2015/03/24
Version: 4.0

Page: 14/14
(30547839/SDS_CPA_US/EN)

labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:
EXTREMELY FLAMMABLE.
HARMFUL IF SWALLOWED.
HARMFUL IF ABSORBED THROUGH SKIN.

Causes eye irritation.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly after handling.

Aerosol container contains flammable gas under pressure.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2015/03/24

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

PT®B 1300 ORTHENE TR is a registered trademark of BASF Corporation or BASF SE
IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED
HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS
PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT
PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO
DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR
TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING
WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE
MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET
FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED
WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE
SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED
A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY
UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION
FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO
OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION
GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET