έœ

35

Container LITHO CAN

x 218 DS

80

H

BLACK

BLACK LN



Homes, apartment buildings, schools, supermarkets, hotels, motels, kennels, restaurants, theatres, nursing homes, hospitals, food-manufacturing and warehousing establishments. food-service establishments. meat-packing and food-processing plants, and warehouses.

ACTIVE INGREDIENTS: Esfenvalerate * OTHER INGREDIENTS: . Total 100.00% EPA Reg. No. 498-202 EPA Est. No. 498-IL-1 *Contains petroleum distillates



Harmful if absorbed through the skin. Causes moderate eve irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. FIRST AID

IF SVALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice

NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call ChemTel, Inc., at (800) 255-3924. ENVIRONMENTAL HAZARDS

This product is toxic to fish and other wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinse waters

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. Contents under pressure. Keep away from fire, sparks and heated surfaces. DO NOT PUNCTURE OR INCINERATE CONTAINER. Exposure to temperatures above 130°F may cause bursting. DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is intended for use in and around residential structures and their immediate surroundings. Permitted areas of use include apartments, atriums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, clothes storage areas, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, playrooms, porches, recreational vehicles, rooms, solariums, storage areas, sunrooms, utility rooms and verandas.

It can also be used in and around food manufacturing and warehousing establishments, food-service establishments, hospitals, hotels, kennels, meat-packing and food-processing plants, motels, nursing homes, recreational vehicles, restaurants, schools, supermarkets, tents, theatres, transportation equipment (truck trailers, railroad cars, buses, boats, ships, trains), warehouses and utilities.

This product may stain or adversely affect vinyl, painted and plastic surfaces. Avoid application to asphalt shingles as staining may occur Before using in areas where spray may contact these surfaces, test in an inconspicuous area and recheck in a few hours.

Do not allow children or pets to contact treated surfaces until dry. Do not apply directly to sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur excent as directed by this label

FOR CRACK AND CREVICE TREATMENT: Apply insecticide directly into cracks and crevices or voids using the injection tube. Place injector tip 1/2 inch into cracks and crevices holes and other small openings Release approximately 1-second spray per spot. For serious infestation. place spots approximately 12 inches apart. For light infestation or for preventative treatment, place spots approximately 3 feet apart. In long running cracks, move injector tip along the crack while spraying at the rate of 3 linear feet per second. For heavy infestations, move the injector tin along at 1 linear foot per second. For inaccessible, closed unids calculate the void's cubic area and treat at rate of 5-10 seconds per cubic foot. Several holes may be required in long-running voids.

CRAWLING INSECTS: ANTS, BOOK LICE, BOX ELDER BUGS, CENTIPEDES, COCKROACHES (including adult and immature stages of both non-resistant and organophosphate- and carbamate-resistant strains), CRICKETS, DERMEŠTIDS, EARWIGS, FIREBRATS, FLEAS, PALMETTO BUGS, SCORPIONS, SILVERFISH, SOW BUGS, SPIDERS, TICKS AND WATER BUGS. Inject into cracks, crevices, and void spaces where insects may harbor. These may include openings around pipes and sinks, under refrigerators, behind baseboards, washing machines, stoves, cabinets, meter boxes, and in manholes.

BOOK LICE AND SILVERFISH: Inject into cracks and crevices associated **MSDS** with baseboards, doorframes, bookcases, and other harborage sites. ANTS: Inject into cracks, crevices, and voids where ants may trave

and/or harbor including around doors and window frames, hehind electrical switches and outlets, and other structural cracks and crevices

1-9835-2 DSC

SCAN FOR

STORED-PRODUCT PESTS: Inject cracks, crevices, and/or voids where these insects may harbor or hibernate. Infested areas include cracks and crevices in cabinets and pantries, wall voids, around window and door frames under siding and in machinery

LOCALIZED TREATMENT OF WOOD-INFESTING INSECTS: BEETLES† AND BORERS† (such as the following families: Anobiidaet, Bostrichidaet, Buprestidaet, Cerambycidaet, Lyctidaet, Oedemeridaet, Sesiidaet) CARPENTER ANTS. CARPENTER BEES. TERMITES**, AND WOOD WASPS. Locate suspected infestation and/or insect tunnels and cavities. Inject 5-10 seconds of spray into insect tunnels, galleries, and inaccessible closed voids. In infested sites, drill pilot holes 8–10 inches apart to ensure thorough insecticide gallery treatment. Make sure to not contact electrical wiring, plumbing, etc. when drilling. For CARPENTER BEES, seal entrance openings with small pieces of stainless steel wool after application.

†Not registered for control in California.

** The purpose of such applications of this product is to kill workers or winged reproductive forms which may be present in treated channels at the time of treatment. Such applications are not a substitute for mechanical alteration or soil or foundation treatment but are merely a supplement. This product is not recommended as sole protection against termites. For active termite infestations, obtain a professional inspection.

APPLICATIONS IN FOOD-HANDLING ESTABLISHMENTS: Places other than private residences where food is held, processed, prepared or served.

Do not apply directly to food. Do not apply when food-processing facility is in operation or food is exposed. Do not apply this product to surfaces or utensils that may come in contact with food. Cover or remove all food and food-processing equipment before application. Thoroughly clean foodcontact surfaces and equipment with an effective cleaning compound following treatment and rinse with potable water before use. Do not spray plants to be used for food or feed.

FOOD AREAS: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage (edible oils and syrups), and enclosed processing systems (mills and dairies). Serving areas (when food is exposed and facility is in operation) are also considered food areas. Apply prescribed amount of insecticide directly into cracks and crevices or voids using injection tubes in points between different elements of construction, between equipment and door openings, into voids and hollow spaces in walls, and on equipment legs and bases where insects hide. Reneat annlication as needed but do not exceed more than 1 application every 7 days in restaurants and similar food-service establishments or more than 1 application every 14 days in all types of food-handling establishments.

NONFOOD AREAS: Includes areas such as boiler rooms, entries and vestibules, floor drains (to sewers), garages, garbage rooms, lavatories, locker rooms, machine rooms, mon closets, offices and storage (after canning or bottling

FOR PREMISE PESTS: Application within nonresidential buildings, including nonfood areas of hotels, industrial, institutional and commercial buildings, office buildings, theatres, truck trailers and warehouses.

For GENERAL USE: (Without Injection Tube) Apply as a coarse, wet spray to thoroughly treat insect hiding places such

as cracks, crevices, moist areas around pipes and utility service boxes, under refrigerators, and along baseboards to control insect pests listed below. Whenever possible, spray insects directly. Keep people and domestic animals off treated areas until dry. Do not spray on livestock feed. Do not apply in institutions (including hospitals, libraries, nursing homes, sport facilities, etc.) when occupants are present in the immediate area.

FLEAS AND TICKS ON SURFACES: Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. Do not spray animals directly. For best results, treat pets with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are severe. Test for staining on an inconspicuous area before use

TO KILL ANTS. CENTIPEDES. COCKROACHES. CRICKETS. EARWIGS, MILLIPEDES, PILL BUGS, PSOCIDS, SOW BUGS, SPIDERS AND WATER BUGS: Apply to areas where these pests are found or may hide, including dark corners of rooms, storage rooms and closets, cracks and crevices in floors and walls, between building construction elements, along baseboards, door and window frames, behind and beneath sinks, stoves, refrigerators and cabinets, and around garbage cans, bins, dumpsters, plumbing and other utility service installations. Directly spray pests flushed from hiding. For ANTS, spray ant trails, door thresholds, door and window frames (outdoors and indoors), and wherever these pests may find access into the building.

Putting the best at your fingertips.®

P.O. Box 70 • Maywood, IL 60153

www.chaseproducts.com

SPIDERS AND WATER BUGS: Apply as a coarse wet spray to floors, under sinks, areas behind and around pipes and utility service boxes, an in all areas where these insects seek harborage. Contact as many insects as possible

PANTRY PESTS: TO TREAT EXPOSED STAGES OF CHOCOLATE MOTHS, CIGARETTE BEETLES, CLOVER MITES, CLUSTER FLIES DRUGSTORE BEFTLES FLM LEAF BEFTLES FLOUR BEETLES (RED AND CONFUSED), GRAIN BEETLES (RUSTY, MERCHANT, AND SAW-TOOTHED), AND TOBACCO MOTHS Remove all foodstuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry before installing fresh shelf paper and replacing food and utensils. Wash any exposed food-handling surfaces and utensils hefore use CARPET BEETLES (BLACK. FURNITURE. AND VARIED): Soray on

and under edges of floor coverings, under rugs and furniture, and in closets or other localities where these insects are found.

WEBBING CLOTHES MOTHS: Spray in closets and other storage areas where these pests are found. Do not apply to clothing

TO KILL GNATS. HOUSEFLIES. MOSQUITOES AND SMALL FLYING MOTHS: Close room and turn off air conditioning or ventilating equipment or fans. First, direct spray into all cracks and crevices, behind all equipment, appliances, cupboards, or in any dark harborage areas. Next use as a space spray, directing the spray towards the ceiling and upper corners of the room. Keep areas closed for at least 1/2 hour. Do not remain in treated area. Ventilate area thoroughly before reentry. Do not repeat application more than once every 3 days.

OUTDOORS: All outdoor applications must be limited to spot or crackand-crevice treatments only, except for the following permitted uses: (1) Treatment to soil or vegetation around structures;

(2) Applications to lawns, turf and other vegetation;

(3) Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, drivewavs, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and-crevice applications only.

ANTS: Spray around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray on and around debris until surface is slightly wet.

FIRE ANTS: To quiet active surface ants, sweep surface with spray from a distance of 18 inches. For best results, apply in cool weather or in early morning or late evening hours. Treat new mounds as they appear.

FOR THE CONTROL OF GARDEN INSECTS: For use on asters, dahlias roses and other ornamentals to kill APHIDS, ARMYWORMS, EXPOSED THRIPS, JAPANESE BEETLES, LEAF MINERS, RED MITES, SPIDERS AND WHITEFLIES. Not for use on plants being grown for sale or other commercial use


STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. STORAGE: Store in a cool, dry place. Keep container tightly closed. PESTICIDE DISPOSAL: Wastes resulting from the use of this product nust be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: DO NOT PUNCTURE OR INCINERATE! If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions

MEDICAL EMERGENCY INFORMATION ONLY/PARA INFORMACIÓN MEDICA DE EMERGENCIA: ChemTel, Inc. (800) 255-3924











0.10%

99.90%

NET WT/PESO NETO 15 oz (425 g)

KEEP OUT OF REACH OF CHILDREN/

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

CAUTION/PRECAUCIÓN

See precautionary statements on back of can